

HARDWOOD

EXPRESSIONS 9.5"

Engineered



1133 Fresco

shawfloors.com

Shaw
FLOORS

For reference purposes only if printed or downloaded.

	US Units	Metric Units
Style Number	SW754	
Construction	Engineered	
Species	White Oak	
Nominal Overall Thickness	5/8"	15 mm
Nominal Width	9.45"	240.03 mm
Finish	UV Aluminum Oxide	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Micro Bevel	
Profile	Tongue And Groove	
Weight per Carton	63.51 lbs	28.8 kg
SQFT per Carton	28.42 sq ft	2.64 sq m
SQFT per Pallet	1136.8 sq ft	105.61 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Residential Warranty	50 Years	
All measurements are nominal.	Cartons may include random lengths.	

Features

Expressions Hardwood features white oak at its best. Part of the Gallery Collection of premium hardwood, Expressions is hand selected by design experts to bring the natural artistry of hardwood into your home. The clean look and understated finishes let the beauty of the wood shine through for a timeless look that ages gracefully.


Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRW15
Flush Reducer



SROW5
*Overlap Reducer



SSW15
Flush Stairnose



SSOW5
*Overlap Stairnose



SCW15
Threshold / Carpet
Reducer



TMW78
T-Molding



QTR96
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary.
Contact the Shaw Information Center for additional details: 800-441-7429.

EXPRESSIONS 9.5"

HARDWOOD

Colors



1129 Lyric



1132 Harmony



1133 Fresco



1134 Watercolor



1135 Allegory



5100 Mural



5101 Finesse



7107 Kinetic



7121 Sustain



7122 Bravura