

# HARDWOOD

# CORNERSTONE OAK 7.5" Engineered



12020 Limestone

[shawfloors.com](http://shawfloors.com)

**Shaw**  
FLOORS

For reference purposes only if printed or downloaded.

	US Units	Metric Units
<b>Style Number</b>	<b>SW755</b>	
<b>Construction</b>	Engineered	
<b>Species</b>	White Oak	
<b>Nominal Overall Thickness</b>	3/8"	9.5 mm
<b>Nominal Width</b>	7.5"	190.5 mm
<b>Finish</b>	UV Aluminum Oxide	
<b>Gloss Level</b>	7%	
<b>Surface Texture</b>	Wirebrushed	
<b>Edge Description</b>	Micro Bevel	
<b>End Description</b>	Micro Bevel	
<b>Profile</b>	Tongue And Groove	
<b>Weight per Carton</b>	37.37 lbs	16.95 kg
<b>SQFT per Carton</b>	27.2 sq ft	2.52 sq m
<b>SQFT per Pallet</b>	1496 sq ft	138.98 sq m
<b>Installation Methods</b>	Nail, Staple, Glue, Floating	
<b>Installation Grade</b>	Above, On, Below	
<b>Variation</b>	High	
<b>GREENGUARD® Certified</b>	Yes	
<b>Radiant Heat Approved</b>	Yes	
<b>Residential Warranty</b>	50 Years	
All measurements are nominal.	Cartons may include random lengths.	

**Trim Pieces** length: 78" (\*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



**105FR**  
Flush Reducer



**105OR**  
\*Overlap Reducer



**105FS**  
Flush Stairnose



**105OS**  
\*Overlap Stairnose



**105TH**  
Threshold / Carpet  
Reducer



**103TM**  
T-Molding



**103QR**  
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary.  
Contact the Shaw Information Center for additional details: 800-441-7429.

# CORNERSTONE OAK 7.5"

# HARDWOOD

## Colors



5056 Slate



11070 Alabaster



12020 Limestone



17050 Shale



19016 Basalt