

MINERAL CORE

Cattitude
vinyl plank



7203 Glogg

	US Units	Metric Units
Style Number	3340V	
Construction	Residential Resilient Mineral Core	
Profile	Fold-N-Tap	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.354"	9 mm
Attached Underlayment	Attached Pad	
Attached Underlayment Thickness	0.039"	1 mm
Edge Description	Accent Bevel	
Area per Carton	15.08 sq ft	1.4 sq m
Area per Pallet	904.8 sq ft	84.06 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Embossed In Register	Yes	
FloorScore Certified	Yes	
Residential Warranty	Lifetime 15 Year Scratch Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof, Scratch 30 Year Scratch	
Commercial Warranty	20 Year Light Commercial	
Radiant Panel (ASTM E648)	Passes, Class I	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Colors



Coordinating Trim




Baby Threshold*

BT6NS | 94"



T-Molding*

TM6NS | 94"



Multi-Purpose Reducer

RD6NS | 94"



Quarter Round

QTRNS | 94"



Flush Stairnose

FS8NS | 94"

*Packaged with molding track



CERTIFIED BY SCS Global Services