

HARDWOOD

REGATTA TEAK 5" Engineered



7134 Maritime

	US Units	Metric Units
Style Number	SW763	
Construction	Engineered	
Species	Plantation Teak	
Nominal Overall Thickness	1/2"	12 mm
Nominal Width	5"	127 mm
Finish	UV Aluminum Oxide	
Gloss Level	15%	
Surface Texture	Smooth	
Edge Description	Micro Bevel	
End Description	Mb	
Profile	Tongue And Groove	
Weight per Carton	36.69 lbs	16.64 kg
SQFT per Carton	26.24 sq ft	2.43 sq m
SQFT per Pallet	944.64 sq ft	87.75 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	Extremely High	
GREENGUARD® Certified	Yes	
Radiant Heat Approved	No	
Residential Warranty	50 Years	
Commercial Warranty	5 Year Commercial	
All measurements are nominal.	Cartons may include random lengths.	

Features

Embracing its maritime heritage, Regatta, meticulously crafted from rich teak wood, resonates with the allure of nautical craftsmanship and marine excellence, boasting its resplendent golden-brown hues and distinctive grain motifs for an exquisite touch of elegance.

Suggested Adhesive

Style Name	Style Number
35MC	HS105


Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



134FR
Flush Reducer



134OR
*Overlap Reducer



134FN
Flush Stairnose



134OS
*Overlap Stairnose



134TH
Threshold / Carpet
Reducer



134TM
T-Molding



134QR
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.

REGATTA TEAK 5"

HARDWOOD

Colors

