



500 Grey

Style Number	594TS	596TS	662TS
Style Name	LAYERED EARTH 12X24 CC	LAYERED EARTH 24X24 CC	LAYERED EARTH BN CROSS CUT
Construction	Porcelain	Porcelain	Porcelain
Tile Type	Floor Tile	Floor Tile	Trim
Tile Size	11.81" x 23.62"   30 cm x 60 cm	23.62" x 23.62"   60 cm x 60 cm	2.72" x 11.73"   6.9 cm x 29.8 cm
Edges	Rectified	Rectified	Rectified
Country Of Origin	Italy	Italy	Italy
Residential Warranty	1 Year Limited	1 Year Limited	5 Years
Installation Area	Exteriors, Floors, Walls	Exteriors, Floors, Walls	
<b>Technical</b>			
Breaking Strength	>= 250 lbs	>= 250 lbs	
Water Absorption %	≤ 0.50% (Impervious (Porcelain))	≤ 0.50% (Impervious (Porcelain))	
DCOF	>= 0.42	>= 0.42	
Shade & Texture Variation	V2	V2	

## 594TS



100 Ivory




120 Cream



500 Grey

## 596TS



100 Ivory



120 Cream




500 Grey

Style Number	612TS	598TS
Style Name	LAYERED EARTH 24X48 CC	LAYERED EARTH HEX MOS CC
Construction	Porcelain	Porcelain
Tile Type	Floor Tile	Floor Tile
Tile Size	23.62" x 47.24"   60 cm x 120 cm	12.6" x 11.02"   32 cm x 28 cm
Edges	Rectified	Cut
Country Of Origin	Italy	Italy
Residential Warranty	1 Year Limited	1 Year Limited
Installation Area	Exteriors, Floors, Walls	Exteriors, Floors, Walls
<b>Technical</b>		
Breaking Strength	>= 250 lbs	>= 250 lbs
Water Absorption %	≤ 0.50% (Impervious (Porcelain))	≤ 0.50% (Impervious (Porcelain))
DCOF	>= 0.42	>= 0.42
Shade & Texture Variation	V2	V2

# Layered Earth

# TILE & STONE


## 612TS



100 Ivory



120 Cream



500 Grey



## 598TS



100 Ivory



120 Cream



500 Grey



*For Shaw Industries Tile/Stone installation instructions and Care/Maintenance guidelines, please contact Shaw Info Center by email at [infocenter@shawinc.com](mailto:infocenter@shawinc.com), or by phone at 800-441-7429*