



ELITE

Ready-to-Use Grout



Merkrete Elite Ready-to-Use grout is a superior-performance pre-mixed grout that uses colored quartz technology to deliver color-consistent, stain-resistant results on nearly all tile and stone materials. Elite neither effloresces nor requires sealing; it is simple to use and maintenance free.

- ◆ PREMIUM READY-TO-USE GROUT
- ◆ STAIN-RESISTANT, COLOR-CONSISTENT AND EFFLORESCENCE-FREE
- ◆ FOR 1/16" (1.5 MM) TO 1/2" (13 MM) GROUT JOINTS
- ◆ EXCEPTIONAL WORKABILITY
- ◆ IDEAL FOR LUXURY VINYL TILE AND PLANK (LVT/LVP)



ELITE RTU



Merkrete® Elite RTU Grout is a premium, ready-to-use grout designed for commercial and residential installations with porcelain, ceramic and natural-stone tiles, glass tile, Gauged Porcelain Tile Panels and Slabs (GPT), luxury vinyl tile (LVT), luxury vinyl plank (LVP). Elite RTU can be used to grout interior and exterior applications, as well as intermittent wet conditions such as bathtub, surrounds, shower walls, and shower floors. It is formulated using colored quartz technology, which ensures color consistency, excellent stain resistance, ease of cleanability and improved workability. In addition, this grout will not effloresce and does not require sealing. Used for grout joints from 1/16" to 1/2" (1.5 to 13 mm).

COVERAGE

*Grout coverage in sq. ft. (m2) per 1 Gallon Pail (3.78 l)

ORDERING INFORMATION	
Color	1 Gal
SNOW WHITE	3772-00011
NAVAJO WHITE	3772-00012
CREAM	3772-00018
CANVAS	3772-00021
TUMBLEWEED	3772-00025
SILVER	3772-00030
RIVER ROCK	3772-00034
NATURAL GRAY	3772-00035
GRAY	3772-00038
SANDSTONE	3772-00071
SANTA FE	3772-00150
BUCKSKIN	3772-00153
DARK CHOCOLATE	3772-00175
BLACK SAPPHIRE	3772-00525

TILE SIZE	GROUT JOINT WIDTH					
	1/16" (1.5 mm)	1/8" (3 mm)	3/16" (4.5 mm)	1/4" (6 mm)	3/8" (10 mm)	1/2" (12 mm)
2" x 2" x 1/4" (50 x 50 x 6 mm)	103 (9.6)	50 (4.7)	33 (3.1)	24 (2.2)	15 (1.4)	11 (1.0)
4-1/4" x 4-1/4" x 1/4" (108 x 108 x 6 mm)	221 (20.5)	109 (10.1)	72 (6.7)	54 (5.0)	35 (3.3)	26 (2.4)
6" x 6" x 1/4" (150 x 150 x 6 mm)	313 (29.1)	155 (14.4)	103 (9.6)	77 (7.2)	50 (4.7)	37 (3.4)
8" x 8" x 3/8" (200 x 200 x 10 mm)	278 (25.8)	138 (12.8)	91 (8.5)	68 (6.3)	45 (4.2)	33 (3.1)
12" x 12" x 3/8" (300 x 300 x 10 mm)	417 (38.7)	208 (19.3)	138 (12.8)	103 (9.6)	68 (6.3)	50 (4.7)
24" x 6" x 3/8" (610 x 150 x 10 mm)	334 (31.0)	166 (15.4)	110 (10.2)	82 (7.6)	54 (5.0)	40 (3.7)
24" x 12" x 3/8" (610 x 300 x 10 mm)	557 (51.7)	278 (25.8)	184 (17.1)	138 (12.8)	91 (8.5)	68 (6.3)

*Coverage shown is for estimating purposes only. Actual coverage may vary due to installation techniques and actual tile types and sizes used on the job.

PAREXUSA

Parex USA, Inc., a California Corporation

Corporate Office

2150 Eastridge Ave • Riverside, CA 92507

merkrete.com • 866-516-0061

Tech Support: 800-226-2424

merkrete.com

PROGROUT PLUS

HIGH-PERFORMANCE, DUSTLESS GROUT

- Polymer Modified
- Fast Setting
- DUSTLESS Technology
- Easy Mixing (Just Add Water)
- Exceeds ANSI A118.7



MERKRETE



COVERAGE CHART

Coverage in sq. ft. (m²) per 25-lb. (11.34-kg) bag

NOMINAL TILE SIZE	JOINT WIDTH				
	1/16" (1.5 mm)	1/8" (3 mm)	1/4" (6 mm)	3/8" (10 mm)	1/2" (125 mm)
1" x 1" x 1/4" (25 x 25 x 6 mm)	116 (10.8)	58 (5.4)	34 (3.2)	26 (2.4)	22 (2.0)
2" x 2" x 1/4" (50 x 50 x 6 mm)	212 (19.6)	106 (9.8)	58 (5.4)	42 (3.9)	34 (3.2)
4" x 4" x 3/8" (100 x 100 x 10 mm)	272 (25.2)	136 (12.6)	71 (6.6)	49 (4.6)	39 (3.6)
6" x 6" x 3/8" (150 x 150 x 10 mm)	402 (37.4)	201 (18.7)	103 (9.6)	71 (6.6)	55 (5.1)
12" x 12" x 3/8" (300 x 300 x 10 mm)	790 (73.4)	395 (36.7)	201 (18.7)	136 (12.6)	103 (9.6)
18" x 18" x 3/8" (450 x 450 x 10 mm)	1,178 (109.4)	589 (54.7)	298 (27.7)	201 (18.7)	152 (14.1)
24" x 24" x 3/8" (610 x 610 x 10 mm)	1,568 (145.6)	784 (72.8)	395 (36.7)	265 (24.6)	201 (18.7)
6" x 24" x 3/8" (150 x 610 x 10 mm)	636 (59)	318 (29.5)	162 (15.1)	111 (10.3)	85 (7.9)
12" x 24" x 3/8" (300 x 610 x 10 mm)	1,050 (97.6)	525 (48.8)	266 (24.7)	179 (16.6)	136 (12.6)

PROGROUT PLUS ELITE RTU

ELITE RTU

PREMIUM, READY-TO-USE GROUT

- Ready to Use Straight from Pail
- Resealable; Reusable
- Excellent Stain Resistance
- Easy to Clean and Color Consistent



COVERAGE CHART

Coverage in sq. ft. (m²) per 1-gal. (3.78-l) pail

NOMINAL TILE SIZE	JOINT WIDTH					
	1/16" (1.5 mm)	1/8" (3 mm)	3/16" (4.5 mm)	1/4" (6 mm)	3/8" (10 mm)	1/2" (125 mm)
2" x 2" x 1/4" (50 x 50 x 6 mm)	103 (9.6)	50 (4.7)	33 (3.1)	24 (2.2)	15 (1.4)	11 (1.0)
4-1/4" x 4-1/4" x 1/4" (108 x 108 x 6 mm)	221 (20.5)	109 (10.1)	72 (6.7)	54 (5.0)	35 (3.3)	26 (2.4)
6" x 6" x 1/4" (150 x 150 x 6 mm)	313 (29.1)	155 (14.4)	103 (9.6)	77 (7.2)	50 (4.7)	37 (3.4)
8" x 8" x 3/8" (200 x 200 x 10 mm)	278 (25.8)	138 (12.8)	91 (8.5)	68 (6.3)	45 (4.2)	33 (3.1)
12" x 12" x 3/8" (300 x 300 x 10 mm)	417 (38.7)	208 (19.3)	138 (12.8)	103 (9.6)	68 (6.3)	50 (4.7)
24" x 6" x 3/8" (610 x 150 x 10 mm)	334 (31.0)	166 (15.4)	11 (10.2)	82 (7.6)	54 (5.0)	40 (3.7)
24" x 12" x 3/8" (610 x 300 x 10 mm)	557 (51.7)	278 (25.8)	184 (17.1)	138 (12.8)	91 (8.5)	68 (6.3)

- COLOR CONSISTENT
- STAIN RESISTANT
- EFFLORESCENCE FREE
- FOR GROUT JOINTS 1/16" TO 1/2" (1.5 TO 13 MM)

PAREXUSA

Parex USA Inc., A California Company
2150 Eastridge Ave.
Riverside, CA 92507
www.parexusa.com
886-516-0061
Tech Support: 800-226-2424
©2023, Parex USA, Inc. MK PGPIE CC 0423

www.merkrete.com



GROUT

COLOR SELECTION

Tile size, style, color, composition and areas of use constantly evolve. So must the tile installation products. Using the correct installation products is vital to the success of every tile project and selecting the right grout is just as important.

GROUT CALCULATOR

www.merkrete.com/grout_calculator.shtml

PGP ProGrout Plus **E** Elite RTU **SC** 100% Silicone Caulk



0010 BRIGHT WHITE PGP SC



00011 SNOW WHITE PGP E SC



00012 NAVAJO WHITE PGP E SC



00018 CREAM PGP E SC



00021 CANVAS PGP E SC



00025 TUMBLEWEED PGP E SC



00030 SILVER PGP E SC



00032 LIGHT TAUPE PGP SC



00034 RIVER ROCK PGP E SC



00035 NATURAL GRAY PGP E SC



00038 GRAY PGP E SC



00071 SANDSTONE PGP E SC



00162 TRUE TAUPE PGP SC



00175 DARK CHOCOLATE PGP E SC



00150 SANTA FE PGP E SC



00153 BUCKSKIN PGP E SC



00191 TERRACOTTA PGP SC



00525 BLACK SAPPHIRE PGP E SC

Sample colors shown are approximate to the final grout color. Final installed grout color may vary due to job conditions, tile porosity, mixing ratio, sealers, installation methods, temperature, or individual batches. Use grouts with the same batch number whenever possible. Different batch numbers should be dry blended together to obtain color uniformity. Follow ANSI A108.10 grouting practices. Please contact Customer Care Department for further questions at 877-547-8822.