WALL-MOUNT TELEPHONE FAUCET & HAND SHOWER - PORCELAIN LEVER HANDLES

SKU: 917399

Code: SH314182, SH314180, SH314179, SH314184, SH314183, SH419196, SH419202, SH419197, SH419203, SH419198, SH446423, SH419199, SH419200, SH419201



FEATURES

Material: Metal construction for strength and durability Installation Type: Wall Mount Flow Rate: 13.3 gpm (50.4 L/min) @ 80 psi Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi Spray Type: Full Cartridge Type: Ceramic Disc Swivel Spout: No

LISTED ID: SH441023*, SH441006*




ADDITIONAL FEATURES

- 2" wall coupler shown in photography.
- Spout reach with 2" / 4" / 6" couplers: 7-1/2" / 9-1/2" / 11-1/2".

WALL-MOUNT TELEPHONE FAUCET & HAND SHOWER - PORCELAIN LEVER HANDLES

SKU: 917399

Code: SH314182, SH314180, SH314179, SH314184, SH314183, SH419196, SH419202, SH419197, SH419203, SH419198, SH446423, SH419199, SH419200, SH419201



REVISED 5/14/2024

2" WALL-MOUNT COUPLER - SET OF 2

SKU: 329446 Code: SH329446

> FEATURES Installation Type: Tub Wall Mount



ASME A112.18.1/CSA B125.1, LISTED ID: SH441023*



ADDITIONAL FEATURES

- For mounting a clawfoot tub faucet to a flat wall.
- 1-3/4" long.
- 1/2" FIP connections at the wall.
- Sold in pairs.

REVISED 5/14/2024

2" WALL-MOUNT COUPLER - SET OF 2

SKU: 329446 Code: SH329446



REVISED 5/14/2024