60" X 36" SITKA ACRYLIC DROP-IN WHIRLPOOL TUB -WHITE

SKU: 447026 Code: SHSKW6036



FEATURES

Installation Type: Drop-in Design: Modern Product Finish: White Material: Acrylic Length: 60" Width: 23" Height: 23" Water Depth To Overflow: 14-1/2" Interior Treatment: Smooth Drain Included: No Faucet Included: No Shape: Rectangle Size: 60 in x 36 in Tub Overflow: Yes Integral Drain & Overflow: No Tub Material: Acrylic Tub Interior Length: 41-1/2" Tub Interior Width: 26-3/4" Tap Deck: No Faucet Drillings: No Drillings Water Capacity (Gallons): 57 Tub Weight Uncrated (lbs): 112 Tub Weight Crated (lbs): 222 Blower: Yes Number of Jets: 8 Jet Color: White On/Off Switch: Yes Weight: 82.0000 Voltage: 120V

REVISED 2/13/2024

60" X 36" SITKA ACRYLIC DROP-IN WHIRLPOOL TUB -WHITE


SKU: 447026 Code: SHSKW6036




ADDITIONAL FEATURES

[||[u_list| All dimensions (± 1/2"). |Can be installed for undermount applications. |57-gallon (215.8-Liters) operating capacity. |Textured slip-resistant bottom. |Pre-leveled base. |Cut out template included. |A dual-mount design, this can be installed as a drop-in or undermount tub. |Intuitive electronic control pad. |Whirlpool - 8 Strategically placed air jets move water with increased pressure for an invigorating bathing experience. |Whirlpool system uses a powerful 1.75hp, 9 amp whirlpool pump. |Safety Suction: Meets all requirements of durability and clog-resistance through standard testing. |Pre-wired for simple plug-in installation. |Optional Quick Connect Drop-In Drain Kit Includes: [||[u_list|Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug. |Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.u_list]||]

• ABS drain version available if needed for your installation.





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

See Website For Warranty Information signaturehardware.com/warranty

60" X 36" SITKA ACRYLIC DROP-IN WHIRLPOOL TUB

SKU: 948264-WP

SHSKSW6036WH

COMPONENTS LIST

Powerful whirlpool pump with variable flow device

INSTALLATION

- Whirlpool unit requires dedicated 20 Amp, 120V service
- You must provide a receptacle with a 20 Amp configuration

• Electrical outlet must be mounted 4" (101mm) above the floor line and 12" max (305mm) inside from the edge of the bathtub, or in accordance with local building and electrical codes


INTEGRATED CONTROL PANEL

• Whirlpool Baths: Equipped with on/off switch actuator. Each depression of the switch will activate the pump

INSIDE OF BATH


(8) HIGH-FLOW DIRECTIONAL AND VOLUME-ADJUSTABLE
WHIRLPOOL JETS





ELECTRICAL CONFIGURATIONS

WHIRLPOOL CIRCUIT WITH OPTIONAL HEATER



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty

signature hardware.com