60" X 32" SITKA ACRYLIC ALCOVE WHIRLPOOL TUB -WHITE

SKU: 948273-WP Code: SHSKW6032



FEATURES

Installation Type: Alcove Design: Modern Product Finish: White Material: Acrylic Length: 60" Width: 32" Height: 20-3/4" Water Depth To Overflow: 14-1/2" Interior Treatment: Smooth **Drain Included: Optional** Faucet Included: No Shape: Rectangle Tub Overflow: Yes Integral Drain & Overflow: No Tub Interior Length: 44-7/8" Tub Interior Width: 22-1/4" Tap Deck: No Faucet Drillings: No Drillings Tub Weight Uncrated (lbs): 105 Tub Weight Crated (lbs): 215 **Blower: Yes** Blower Wattage: 600 Number of Jets: 8 Jet Color: White On/Off Switch: Yes

REVISED 2/13/2024

60" X 32" SITKA ACRYLIC ALCOVE WHIRLPOOL TUB -WHITE


SKU: 948273-WP Code: SHSKW6032




ADDITIONAL FEATURES

- All dimensions (± 1/2").
- Textured slip-resistant bottom.
- Pre-leveled base.
- 53-gallon (200.6-Liters) operating capacity.
- Intuitive electronic control pad.
- 8 Strategically placed air jets move water with increased pressure for an invigorating bathing experience.
- Whirlpool system uses a powerful 1.75hp, 10.9 amp whirlpool pump.
- Integral tile flange and skirt.
- Safety Suction: Meets all requirements of durability and clog-resistance through standard testing.

60" X 32" SITKA ACRYLIC ALCOVE WHIRLPOOL TUB - WHITE





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty

60" X 32" SITKA ACRYLIC ALCOVE WHIRLPOOL TUB - WHITE

SKU: 948272-WP SHSKSW6032LWH, SHSKSW6032RWH

COMPONENTS LIST

• Powerful whirlpool pump with variable flow device

INSTALLATION

- Whirlpool unit requires dedicated 20 Amp,
- 120V service
- You must provide a receptacle with a 20 Amp configuration

• Electrical outlet must be mounted 4" (101mm) above the floor line and 12" max (305mm) inside from the edge of the bathtub, or in accordance with local building and electrical codes


INTEGRATED CONTROL PANEL

• Whirlpool Baths: Equipped with on/off switch actuator. Each depression of the switch will activate the pump

INSIDE OF BATH


(8) HIGH-FLOW DIRECTIONAL AND VOLUME-ADJUSTABLE
WHIRLPOOL JETS





ELECTRICAL CONFIGURATIONS

WHIRLPOOL CIRCUIT WITH OPTIONAL HEATER



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty

signature hardware.com