MODERN

SQUARE RAINFALL SHOWER HEAD WITH SQUARE CEILING-MOUNT ARM SKU: 949056



CONTENTS

SHOWER HEAD PAGE 2 SHOWER ARM PAGE 3

FEATURES

Shape: Square

Installation Type: Ceiling Mount

Shower Head Installation Type: Ceiling

Shower Head Spray: Rainfall

Shower Head Spray: Single Function (Full Spray)

Shower Arm Included: Yes Shower Head Swivel: Yes Escutcheon Included

Brass Ball Joint & Threaded Connection

Easy Clean Rubber Nozzles

Easy Installation


SIGNATURE HARDWARE Lifetime Warranty


See website for detailed warranty information.

REVISED 01/07/2020

SQUARE RAINFALL SHOWER HEAD WITH ROUNDED CORNERS

SKU: 949056





Product Code	Reference A	Max Flow-Rate
SHRS820SG	8" (203 mm)	1.8 gpm (6.8L/min) max @ 80 psi
SHRS825S	8" (203 mm)	2.5 gpm (9.5L/min) max @ 80 psi
SHRS1020SG	10" (254 mm)	1.8 gpm (6.8L/min) max @ 80 psi
SHRS1025S	10" (254 mm)	2.5 gpm (9.5L/min) max @ 80 psi
SHRS1225S	12" (305 mm)	2.5 gpm (9.5L/min) max @ 80 psi

FEATURES

Material: Stainless Steel Height: 2-1/2" IPS: 1/2"

CODES/STANDARDS

SHRS820S/SHRS1020SG

cCSAus ASME A112.18.1/CSA B125.1 WaterSense CEC Listed Massachusetts Accepted





SHRS825S/SHRS1025S/SHRS1225S

cCSAus ASME A112.18.1/CSA B125.1 Massachusetts Accepted



SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information




PAGE 2 Code: SHRS820SGBN/SHRS820SGCP SHRS825SBN/SHRS825SCP/SHRS1020SGBN SHRS1020SGCP/SHRS10255BN/SHRS1025SCP SHRS1225SBN/SHRS1225SCP


 $All\ dimensions\ and\ specifications\ are\ nominal\ and\ may\ vary.\ Use\ actual\ products\ for\ accuracy\ in\ critical\ situations.$



CEILING-MOUNT SHOWER ARM

SKU: 949056





FEATURES

Material: Brass Base Plate Length: 2-3/8" Base Plate Width: 2-3/8" IPS: 1/2"

SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



PAGE 3 SHRSC40SBN/SHRSC40SCP SHRSC60SBN/SHRSC60SCP SHRS120SBN/SHRSC120SCP

 $All\ dimensions\ and\ specifications\ are\ nominal\ and\ may\ vary.\ Use\ actual\ products\ for\ accuracy\ in\ critical\ situations.$

