

PINECREST

SHOWER VALVE - LEVER HANDLE

SKU: 946625



FEATURES

- Installation Type: Wall Mount
- Length: 6-11/16"
- Height: 6-11/16"
- Depth: 4-1/6"
- Base Plate Height: 6-11/16"
- Base Plate Width: 6-11/16"

SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.

CONTENTS



VALVE TRIM	PAGE 2
ROUGH-IN VALVE	PAGE 3

REVISED 01/20/2020

PINECREST

VALVE TRIM

SKU: 946625



FEATURES

Material: Brass
Handle Type: Lever
Features: Thermostatic
Assembly Required: No
Design: Modern
Installation Type: Wall Mount
Mounting Hardware Included: Yes
Valve Trim Width: 6-3/4"
Valve Trim Height: 6-3/4"
For proper installation, requires use of volume control valve and trim.
Optional valve features integral water inlet stops, check valve and bronze body.
Factory-calibrated comfort setting at 104 degrees Fahrenheit.
Thermostatic technology keeps shower temperature within 1 degree Celsius.

SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



PAGE 2


All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

CODE: SHPC8010LHCP/SHPCPBLEVCP
SHPC8010LHPN/SHPCPBLEVPN

PINECREST

ROUGH-IN VALVE

SKU: 946625



FEATURES

Material: Bronze
NPT Connection: 1/2"
Compatible with Beasley, Boca Raton, Carraway, Edenton, Greyfield, Hibiscus, Key West, Pendleton, Pinecrest, Provincetown, Rigi, St. Martin and Vilamonte Pressure Balance Trims.

CODES/STANDARDS

cUPC
ASME A112.18.1/CSA B125.1
ASSE 1016 Type P
Massachusetts Accepted

SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3

CODE: SH4001