

72" SHEBA ACRYLIC DOUBLE-SLIPPER TUB - AIR MASSAGE

SKU: 919180-AIR

Code: SH456357,SH462583



FEATURES

Features: Integral Drain & Overflow

Design: Modern

Product Finish: White

Length: 72"

Width: 31"

Height: 28-1/2"

Depth: 17-3/4"

Water Depth To Overflow: 15-3/8"

Exterior Treatment: Smooth

Interior Treatment: Smooth

Drain Finish: White

Faucet Included: No

Shape: Oval

Size: 72 in

Remote Included: Yes

Tub Overflow: Yes

Integral Drain & Overflow: Yes

Tub Material: Acrylic

Tub Interior Length: 43-3/4"

Tub Interior Width: 19-1/4"

Tap Deck: No

Faucet Drillings: No Drillings

Water Capacity (Gallons): 70

Built-In Adjusters: Yes

Tub Weight Uncrated (lbs): 186

Tub Weight Crated (lbs): 276

Blower: Yes

Number of Jets: 12

Jet Color: White

REVISED 1/31/2023

72" SHEBA ACRYLIC DOUBLE-SLIPPER TUB - AIR MASSAGE

SKU: 919180-AIR

Code: SH456357,SH462583






ADDITIONAL FEATURES

- All dimensions are ($\pm 1/2$ ").
- Formed of two 3.8mm acrylic sheets, the air between acting as a thermal insulator.
- Air tub features 12 air jets that massage and relax. Remote control works within 15-foot radius and is designed to float. Tub and air system come fully assembled.
- Foam Insulation option: increases heat retention and prevents condensation due to water and air temperature fluctuations.
- Optional Quick Connect Drop-In Drain Kit Includes:
- Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug.
- Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.

REVISED 1/31/2023

72" SHEBA ACRYLIC DOUBLE-SLIPPER TUB - AIR MASSAGE

SKU: 919180-AIR



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

72" SHEBA ACRYLIC DOUBLE-SLIPPER TUB - AIR MASSAGE

SKU: 919180-AIR

COMPONENTS LIST

- BM-TWP BALL CHECK VALVE JETS
- MANI-SD-A SECURITY DEVICE
- MAN-A-4-AC MANIFOLD
- SILVER SLS+ VARIABLE SPEED BLOWER

INSTALLATION

Install blower behind a wall (with an access panel) or in a closet. Blower can also be installed under floor. Ensure the security device, MANI-DS-A, is at least:

- 2" Above the tub rim

Security device and hose can be mounted in wall

REMOTE CONTROL

- CG+/RTC-SENSOR-WP
- 12 – 15 YEAR BATTERY LIFE

INSIDE OF BATH



- (12) MAXI AIR JETS WITH 24 OPENINGS



ELBOWS FOR AIR JETS



TEES FOR AIR JETS



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.