SEFINA FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 953985

Code: SHSFFS2000G, SHFSR2000WS, SHFSR2000



FEATURES

Material: Metal construction for strength and durability

Installation Type: Floor Mount

Swivel Spout: No

Required for Installation: Rough-in valve: SHFSR2000 or

SHFSR2000WS

ASME A112.18.1/CSA B125.1, ICC/ANSI A117.1, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHFSR2000WS, SHSFFS2000G**, SHFSR2000








ADDITIONAL FEATURES

- Metal construction for ultimate strength and durability.
- Single function hand shower (full spray).
- Integral diverter to hand shower.
- Drain assembly sold separately.
- Tub filler flow rate is 9.5 gpm (35.7 L/min) @ 80 psi and Hand shower flow rate is 1.8 gpm (6.8 L/min) @ 80 psi when purchased with valve. Valve required for use. (SHFSR2000 or SHFSR2000WS)
- Installation on an existing concrete slab will require cutting and concrete removal.

SEFINA FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 953985

Code: SHSFFS2000G, SHFSR2000WS, SHFSR2000



FREESTANDING TUB FAUCET ROUGH-IN VALVE

SKU: 446521 Code: SHFSR2000

FEATURES

Material: Metal construction for strength and durability



ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHFSR2000





ADDITIONAL FEATURES

• Not compatible with Ryle, Napier, Keswick, Copper and Cybelle Freestanding Tub Faucets.

FREESTANDING TUB FAUCET ROUGH-IN VALVE

SKU: 446521 Code: SHFSR2000





FREESTANDING TUB FAUCET ROUGH-IN VALVE WITH STOPS

SKU: 448006

Code: SHFSR2000WS

FEATURES

Material: Metal construction for strength and durability



ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHFSR2000WS



ADDITIONAL FEATURES

• Not compatible with the Ryle, Napier, Keswick, Cooper, and Cybelle Freestanding Tub Faucets.

FREESTANDING TUB FAUCET ROUGH-IN VALVE WITH STOPS

SKU: 448006

Code: SHFSR2000WS

