SEFINA THERMOSTATIC SHOWER SYSTEM WITH DUAL SHOWERHEADS, SLIDE BAR & HAND SHOWER

SKU: 955159

Code: SH6103, SHSF9005, SHHS4170G, SHH1010, SHSF9007, SHSF9009, SH6006, SH6040, SHRSB820RG (x2), SHSB3040, SHWE2040, SHRSA124 (x2)



FEATURES

Material: Metal Shower Head Swivel: Yes Shower Head Spray: Rainfall Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi Hand Shower Spray: Full Hand Shower Flow Rate: 1.75 gpm (6.6 L/min) @ 80 psi Connection Type: 3/4"NPT Cartridge Type: Thermostatic

ASME A112.18.1/CSA B125.1, ASME A112.18.2/CSA B125.2, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SH6103, SHH1010*, SH6006, SH6040, SHRSB820RG*, N/A, SHWE2040*, SHSF9005**, SHRSA124XX, SHHS4170XX, SHSF9009XX, SHSF9007XX



- 60" 72" Stretchable metal hand shower hose.
- Ceramic cartridges.
- Two 8" single function round rainfall shower head (full spray).
- Single function hand shower (full spray).
- Modern shower arm and hand shower.
- Contemporary slide bar for hand shower.
- Contemporary round water supply elbow for hand shower has 1/2" female wall connection and 1/2" male hose connection.
- Thermostatic Rough-In Shower Valve has factory-calibrated comfort setting at 104 degrees Fahrenheit.
- Water inlet stops and check valve.
- Thermostatic technology keeps shower temperature ±1 degree Celsius.
- 3-Way In-Wall Diverter Rough-In Valve is not intended as a shut off valve.
- Volume Control Rough-In Valve is Intended for use with a thermostatic valve and trim.

8" MODERN ROUND RAINFALL SHOWER HEAD -1.75 GPM

SKU: 948948-18

Code: SHRSB820RG, SH484203, SH485499, SHRSB820RGPB



FEATURES

Material: ABS Shower Head Swivel: Yes Flow Rate: 1.75 gpm (6.6 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHRSB820RG*




ADDITIONAL FEATURES

- Single function shower head (full spray).
- Easy clean rubber nozzles.
- Brass ball joint.

REVISED 11/22/2024

8" MODERN ROUND RAINFALL SHOWER HEAD - 1.75 GPM



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty

60" STRETCHABLE METAL HAND SHOWER HOSE

SKU: 948938 Code: SHH1010, SH484205, SH485500



FEATURES

Material: Metal Connection Type: 1/2" IPS


ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHH1010*




- 60" 72" stretchable metal shower hose.
- Double spiral construction.
- Metal conical nut.

60" STRETCHABLE METAL HAND SHOWER HOSE

SKU: 948938 Code: SHH1010, SH484205, SH485500





REVISED 11/25/2024

(ISI) SIGNATURE HARDWARE

See Website For Warranty Information signaturehardware.com/warranty

signature hardware.com

CONTEMPORARY SLIDE BAR FOR HAND SHOWER

SKU: 948919 Code: SHSB3040, SH484206, SH485501



FEATURES

LISTED ID: N/A

ADDITIONAL FEATURES

• Adjustable angle for hand shower mount.

REVISED 11/25/2024

8" MODERN ROUND RAINFALL SHOWER HEAD -1.75 GPM

SKU: 948948-18

Code: SHRSB820RG, SH484203, SH485499, SHRSB820RGPB



FEATURES

Material: ABS Shower Head Swivel: Yes Flow Rate: 1.75 gpm (6.6 L/min) @ 80 psi

ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHRSB820RG*




ADDITIONAL FEATURES

- Single function shower head (full spray).
- Easy clean rubber nozzles.
- Brass ball joint.

REVISED 11/22/2024

CONTEMPORARY SLIDE BAR FOR HAND SHOWER

SKU: 948919 Code: SHSB3040, SH484206, SH485501




MODERN HAND SHOWER

SKU: 953994 Code: SHHS4170G

FEATURES

Material: ABS Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi



ASME A112.18.1/CSA B125.1, CEC Listed, WaterSense by IAPMO, Massachusetts Accepted, LISTED ID: SHHS4170XX




ADDITIONAL FEATURES

• Single function hand shower (full spray).

REVISED 11/25/2024

MODERN HAND SHOWER

SKU: 953994 Code: SHHS4170G



REVISED 11/25/2024

(ISI) SIGNATURE HARDWARE

MODERN SHOWER ARM

SKU: 953989 Code: SHRSA124

FEATURES

Material: Metal




ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHRSA124XX



- Metal construction for ultimate strength and durability.
- Escutcheon included.

MODERN SHOWER ARM

SKU: 953989 Code: SHRSA124



REVISED 11/25/2024

(ISI) SIGNATURE HARDWARE

See Website For Warranty Information signaturehardware.com/warranty

signature hardware.com

CONTEMPORARY ROUND WATER SUPPLY ELBOW FOR HAND SHOWER

SKU: 932365 Code: SHWE2040, SH484207, SH485502

FEATURES

Material: Metal Connection Type: 1/2" NPT




ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SHWE2040*



- 1/2" Female wall connection.
- 1/2" Male hose connection.

CONTEMPORARY ROUND WATER SUPPLY ELBOW FOR HAND SHOWER

SKU: 932365 Code: SHWE2040, SH484207, SH485502



REVISED 11/25/2024

(ISI) SIGNATURE HARDWARE

See Website For Warranty Information signaturehardware.com/warranty

signature hardware.com

THERMOSTATIC ROUGH-IN SHOWER VALVE

SKU: 948545 Code: SH6004, SH6006

FEATURES

Cartridge Type: Thermostatic



ASME A112.18.1/CSA B125.1, Massachusetts Accepted, LISTED ID: SH6004, SH6006



- Compatible with Beasley, Berwyn, Boca Raton, Drea, Edenton, Elita, Greyfield, Gunther, Hibiscus, Key West, Lentz, Lexia, Pendleton, Pinecrest, Provincetown, Rigi, Sefina, Vassor and Vilamonte Thermostatic Valve Trim.
- For proper installation, requires use of volume control valve and trim.
- Bronze valve body.
- Factory-calibrated comfort setting at 104 degrees Fahrenheit.
- Water inlet stops and check valve.
- Thermostatic technology keeps shower temperature ±1 degree Celsius.

3-WAY IN-WALL DIVERTER ROUGH-IN VALVE

SKU: 953056 Code: SH6103, SH6101



FEATURES Material: Brass


ASME A112.18.1/CSA B125.1, ASME A112.18.2/CSA B125.2, Massachusetts Accepted, LISTED ID: SH6103, SH6101



- Six total settings allow for shared water flow between outlets, giving you the ability to use two functions at once.
- Ceramic cartridge.
- Available Single-Function Diverter Valve Cartridge restricts water flow to one outlet at a time.
- Not intended as a shut off valve.
- For installations only requiring 2 outlets, the 3rd outlet may be looped into one of the existing pipes.
- Compatible with Beasley, Berwyn, Boca Raton, Drea, Edenton, Elita, Greyfield, Gunther, Hibiscus, Key West, Lentz, Lexia, Pendleton, Pinecrest, Provincetown, Rigi, Sefina, Vassor and Vilamonte Diverter Trims.

3-WAY IN-WALL DIVERTER ROUGH-IN VALVE

SKU: 953056 Code: SH6103, SH6101



REVISED 11/25/2024