

Standard Washdown Urinal Fixture Model SU-1019

▶ Code Number

1101019

▶ Description

Vitreous china washdown retrofit urinal

► Flush Cycle

0.125 to 0.5 gpf/0.5 to 1.9 Lpf

Flush volume is determined by the flushometer used with fixture

► Fixture Specifications

- White Vitreous China
- 2" NPT outlet flange
- All mounting hardware included
- Integral flushing rim
- Washdown flushing action
- Vandal resistant strainer assembly included
- 100% factory flush tested
- ¾" I.P.S. top spud inlet

▶ Plumbing System Requirements

Minimum Flow Rate: 18 GPM

• Maximum Static Pressure: 80 PSI

Minimum Flowing Pressure: 25 PSI


► Product Specification

Washdown urinal shall be made of vitreous china with a 3/4" rear spud. Urinal shall have a 2" NPT outlet flange. Urinal shall include a removable strainer, inlet spud and hanger. Urinal shall be Sloan Model SU-1019.

▶ Notes

- This model is fully interchangeable with Models SU-1010, SU-1012 & SU-1015 and matches all dimensional and performance parameters.
- All information contained in this document subject to change without written notice
- NOTE: All vitreous china dimensions shown in these drawings are nominal and not to scale. Dimensions can vary within the tolerances established in the governing ASME A112.19/CSA B45.1 standard. It is important to consider this when planning rough-in and plumbing layouts.





► Compliance & Certifications











This space for Architect/Engineer Approval