

AFS23MLLH



83.75" x 27.5" x 31" (H x W x D)

Performance series Pharma-Lab 23 cu.ft. all-freezer in stainless steel with left hand door swing

Highlights:

Intelligent microprocessor digital temperature controller

Optimized forced air cooling for excellent temperature stability and uniformity with rapid recovery after door openings and product loading


Audible/visual alarms for high/low temperature excursions

Product Features:

| Purpose-built design | Designed and engineered to store vaccines and other sensitive materials under stable temperature conditions |
|---|---|
| Adjustable temperature | Interior is pre-set to -25°C, with an adjustable control range from -30 to -15°C |
| Temperature alarm | Visual and audible alarms alert if the interior temperature rises or falls out of set range |
| Complete stainless steel construction | Interior and exterior are entirely constructed from stainless steel for lasting durability and easy cleanup |
| Forced air cooling | Top-mounted commercial fan ensures rapid temperature recovery |
| Automatic defrost with adjustable cycle defrost | Adjustable cycle defrost operation ensures the unit avoid temperature spikes and ice buildup |
| Self-closing door | Closes to save energy but will remain open when the door is opened at a 90° angle for easier loading |
| Open door alarm | Alarm will beep 3 times if the door is left open for 30 seconds, 5 times at 60 seconds, and will sound continuously if the door is open for more than 5 minutes |
| 6 inch casters | Ships with a set of casters (2 locking) for optional user installation |
| | |

ACCUCOLD DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified 770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799


info@accucold.com






AFS23MLLH Specifications:

| Overview | |
|--|---|
| Height of Cabinet | 83.75" (213 cm) |
| Width | 27.5" (70 cm) |
| Depth | 31.0" (79 cm) |
| Depth with Handle | 32.75" (83 cm) |
| Depth with door at 90° | 56.5" (144 cm) |
| Capacity | 23.0 cu.ft. (651 L) |
| Defrost Type | Frost-Free |
| Door | Stainless Steel |
| Cabinet | Stainless Steel |
| US Electrical Safety | UL |
| Canadian Electrical Safety | ULC |
| Sanitation | ETL-S |
| Amps | 8.0 |
| Voltage/Frequency | 115 V AC/60 Hz |
| Weight | 273.0 lbs. (124 kg) |
| Shipping Weight | 293.0 lbs. (133 kg) |
| Parts & Labor Warranty | 2 Years |
| Compressor Warranty | 5 Years |
| Freezer | |
| Door Swing | LHD |
| Reversible | |
| | No |
| Interior Height | No 51.5" (131 cm) |
| Interior Height Interior Width | |
| • | 51.5" (131 cm) |
| Interior Width | 51.5" (131 cm) 23.5" (60 cm) |
| Interior Width Interior Depth | 51.5" (131 cm) 23.5" (60 cm) 27.0" (69 cm) |
| Interior Width Interior Depth Shelf Type | 51.5" (131 cm) 23.5" (60 cm) 27.0" (69 cm) Wire |
| Interior Width Interior Depth Shelf Type Shelf Qty | 51.5" (131 cm) 23.5" (60 cm) 27.0" (69 cm) Wire 4 |
| Interior Width Interior Depth Shelf Type Shelf Qty Adjustable Shelves | 51.5" (131 cm) 23.5" (60 cm) 27.0" (69 cm) Wire 4 Yes |
| Interior Width Interior Depth Shelf Type Shelf Qty Adjustable Shelves Thermostat Type | 51.5" (131 cm) 23.5" (60 cm) 27.0" (69 cm) Wire 4 Yes Digital |
| Interior Width Interior Depth Shelf Type Shelf Qty Adjustable Shelves Thermostat Type Interior Light | 51.5" (131 cm) 23.5" (60 cm) 27.0" (69 cm) Wire 4 Yes Digital Yes |
| Interior Width Interior Depth Shelf Type Shelf Qty Adjustable Shelves Thermostat Type Interior Light Fan Type | 51.5" (131 cm) 23.5" (60 cm) 27.0" (69 cm) Wire 4 Yes Digital Yes Interior |
| Interior Width Interior Depth Shelf Type Shelf Qty Adjustable Shelves Thermostat Type Interior Light Fan Type Refrigerant Type | 51.5" (131 cm) 23.5" (60 cm) 27.0" (69 cm) Wire 4 Yes Digital Yes Interior R290a |









ACCUCOLD DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified 770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799

