SYMMONS® Symmetrix®

Widespread Lavatory Faucet S-243-LAM Series

Installation and Service Instructions

Model Numbers Tools & Mate

S-243-2-LAM Lavatory faucet

with pop-up drain

S-243-1-LAM Lavatory faucet

with lift rod only


S-243-LAM Lavatory faucet

Alternate Finish Code

append to part numbers when applicable


-STN Satin Nickel

-- Chrome (standard)



Contact Symmons customer service at (800) 796-6667, (781) 848-2250 Email: customerservice@symmons.com Monday - Friday 8:00 am - 7:30 pm EST

Please check Symmons website for technical help, the latest product information and warranty policy. www.symmons.com/service




Installation Instructions

Caution: If replacing an older faucet ensure water supply is turned OFF before removing. Then turn faucet control valves ON to relieve water pressure.

Step 1 Attach control valves to sink


- Thread *flange nut* about 2 inches down from threaded end of *valve body*. Ensure larger diameter end is facing up.
- Insert *valve body* from underneath sink up through mounting hole. Ensure valve with red label (hot) is on the left and blue (cold) is on the right.
- Place gasket over valve body and thread fastener onto valve body until stop is reached.



- Tighten *flange nut* under sink to secure *valve body*.
- Thread collar onto outer threads of fastener until against surface of sink.


Step 2 Attach faucet handles

- Turn valve spindles to the OFF position.
 HOT - left valve, clockwise
 COLD - right valve, counter clockwise
- Attach handle to valve spindle in OFF location and tighten screw through handle into valve spindle.




Step 3 Attach faucet spout to sink

- Unscrew tee and remove washer and nut from threaded end of spout as shipped.
- Insert end of spout through base and mounting hole.
 Fasten from under sink with washer and nut.
- Tighten nut while ensuring spout and base are centered over mounting hole and flat edge of washer is facing rear of sink.




Step 4 Connect water supply lines

- Apply pipe sealant on male end of both *flex hoses* and thread into sides of *tee*.
- Thread center of tee with flex hoses attached onto end of spout.
 Note: This may require about 4 inches of clearance to rotate.
- Attach loose end of flex hoses to valve outlets.
- Plumb hot water supply to left *valve inlet*, cold water to right inlet and fasten with *coupling nuts*.
- Check for leaks if only replacing faucet and drain is already installed by first turning faucet handles to the OFF position and then turn water supply valves ON.




- Remove stopper, unscrew flange and remove flat rubber washer from end of drain body as shipped.
- Apply plumber's putty around bottom of *flange*.
- Move friction washer, beveled washer and flange nut down away from end of drain body.
- Place flange into drain opening and screw drain body at least 2-3 turns until hand tight against flange. Apply putty or teflon tape to tail piece and attach to drain body.
- Position drain body so pivot cavity is facing rear of sink and then slide

beveled washer and friction washer up against sink.




Take care not to over tighten flange nut.



Step 6 Install stopper and set eye position

Stopper can be removable or non-removable determined by position of eye hole when later inserting pivot rod.

 Insert stopper through flange opening and position eye hole.




Removing stopper

When installed in removable position, move pivot rod to the up position (lift rod is in the down position when later installed). Eye hole will slide over end of pivot rod.

Step 7 Attach pivot rod to drain body


- Remove *retaining* nut and outer seat from pivot cavity.
- Insert pivot rod into pivot cavity so pivot ball is against inner seat and rod passes under end of stopper according to selected eye hole position.



- Slide outer seat over pivot rod with curved end against pivot ball.
- Fasten *pivot rod* to *drain body* with *retaining nut*. Tighten using your fingers until ball is seated snug and *pivot rod* can move around freely.

Step 8 Connect lift rod and adjust linkage

- Insert *lift rod* through hole on rear of water spout.
- Fasten end of pivot rod with spring clip through location hole in clevis strap that is best aligned to enable lift rod also fasten to end of clevis strap when in the up position and stopper is in the closed position.
- Insert *lift rod* into end of clevis strap and fasten with thumb screw at location where stopper can be easily opened and closed.





If necessary, select another location hole in clevis *strap* and re-adjust *lift rod* where fastened to *clevis strap*.

Step 9 Attach drain body to drain trap

Step 10 Flush water supply lines

 Thoroughly flush supply lines to prevent foreign matter, i.e. copper chips, sand, etc. from damaging the sealing surface inside control valves.





remove

aerator

Turn faucet OFF, replace aerator and check for any leaks.

Clean finish area by using mild soap and water or non-abrasive cleaner and then rinse immediately. A non-abrasive wax may be used to preserve finish area.

Valve cartridge replacement

Step 1 Remove faucet handle

Loosen screw using a 5/64 inch Allen wrench.

Care of faucet finish

Step 2 Remove collar

Remove collar by turning counter clockwise.

Note: Ensure not to use any tool that could scratch finish without taking protective measures.

Step 3 Remove cartridge

Using a wrench, turn hex nut on cartridge counter clockwise.

Note: *Ensure valve assembly* under sink doesn't rotate while turning nut.

Step 4 Insert new cartridge


Insert replacement cartridge and then tighten hex nut.


Step 5 Attach collar

Screw collar onto fastener and tighten using your hand.

Step 6 Attach faucet handle

- Ensure cartridge spindle is rotated to the OFF position.
- Attach handle in OFF location as shown in illustration and then tighten screw using a 5/64 inch Allen wrench.





screw-

handle

collar

spindle OFF

hot = cw


cold = ccw

cartridge

valve

Dimensions Symmetrix Widespread Lavatory Faucet, S-243-2-LAM _8" (203 mm) min.→ 16" (406 mm) max. 6-1/8" 4" (102 mm) min.-156 mm 1-15/16" (49 mm) 4-7/8" 7-3/8" 124 mm 2-1/4" (57 mm)-5-1/8" 187 mm 130 mm 1-7/8" 5-3/16" 2-7/16" 2" dia. (51 mm) 47 mm 55 mm 62 mm dia. Deck thickness 1-3/8" (35 mm) max. 13/16" dia. (21 mm) 1" dia. (25 mm) Hole size 1-1/8" (29 mm) min. **Hole size** 1-1/16" (27 mm) min. 1-1/2" (38 mm) max. 1-7/16" (37 mm) max. 1/2"-14 NPSM 5/8" (16 mm) Flexible hose

Parts Assembly Symmetrix Widespread Lavatory Faucet, S-243-2-LAM



Replacement Parts	
Part Number	Item
LN-114-LAM-KIT* 1 handle included	handle set screw
LN-112*	collar
LN-128*	escutcheon
LN-129	escutcheon gasket
KN-114 (hot) OFF = CW KN-113 (cold) OFF = CCW	KN-113 identified by groove valve cartridge
LN-15* FLR-110-1.5* FLR-110-1.0*	aerator flow rates 2.2 gpm (8.3L/min) 1.5 gpm (5.7L/min) 1.0 gpm (3.8L/min)

Note: For faucets with an optional decorative finish, append appropriate three letter suffix code to part numbers marked with an asterisk ().

Ordering replacement parts:

Call Symmons customer service at (800) 796-6667, (781) 848-2250 M-F 8:00 am - 7:30 pm EST or check our website at www.symmons.com for a list of Symmons distributors.

Symmons Industries, Inc. = 31 Brooks Drive = Braintree, MA 02184 (800) 796-6667, (781) 848-2250 = Fax (800) 961-9621, (781) 664-1300 Website: www.symmons.com = Email: customerservice@symmons.com

