


3590BTRM Shower Valve Trim **Specification Submittal** 





Options/Modifications			
□ Delete Suffix B	Chrome plastic escutcheon on valve with color graphic/indicators in place of standard brass escutcheon		
□ REB	Rebuild trim kit, includes TA-10™ and TA-4		
□ BBZ	Brushed Bronze finish		
□ мв	Matte Black finish		
□ STN	Satin Nickel finish		
□ <b>L7</b>	Less handle		
□ тс	Test Cap Trim (includes TA-10 & T-12A) used with 161/162 Series Temptrol Valve		
	Delete Suffix B  REB BBZ MB STN L7		

Location:

## Warranty

**Limited Lifetime** - for residential installations.

10 Years - for commercial/industrial installations.

Refer to www.symmons.com/warranty for complete warranty information.



## **Compliance**

- ASME® A112.18.1/CSA® B125.1





- Lever handle meets ADA requirements for operation

#### **SKU Builder**


Series	Finish	Modifier	Flow Rate	TRM (required)	тс	Final SKU
3590	STN			TRM		3590STNTRM
3590B	МВ	L7		TRM	TC	3590BMBL7TRMTC

Notes: No more than two modifiers (L1-L7) permitted when ordering. Modifiers will list in numerical order.

# **Architectural/Engineering Specification**

Includes Dia Shower Valve Trim for Temptrol® Pressure-Balancing Shower Valve. Fea-Symmons Dia Shower Valve Trim tures metal lever handle. Components shall be metal and nonmetal construction, plated in standard Polished Chrome finish. 10-Year Commercial Warranty. ASME A112.18.1/CSA B125.1 compliant. Available options: Delete Suffix B = Chrome plastic escutcheon, REB = Rebuild trim kit, includes TA-10 and TA-4, BBZ = Brushed Bronze finish, MB = Matte Black finish, STN = Satin Nickel finish, L7 = Less handle, and TC = Test Cap Trim.

# **Dimensions**



## **Notes:**

- 1) Valve body and piping not included and shown as reference only.
- 2) Plaster shield (p/n T-176) from drywall, plaster, or other type walls 1/2" or greater.
- 3) All dimensions measured from nominal rough-in.
- 4) Dimensions are subject to change without notice.