

S5890TRM Shower Valve Trim

## Location:





# Specification Submittal

Feature Highlights		
<ul> <li>Braston* Shower Valve Trim.</li> <li>Requires Temptrol* Pressure Balancing Shower Valve.</li> <li>Integral volume control.</li> <li>Metal lever handle.</li> <li>Components made from metal and nonmetal materials, plated in standard Polished Chrome finish.</li> </ul>		
Options/Modifications		
□ <b>REB</b> Rebuild trim kit, includes TA-10 and TA-4		
☐ <b>BBZ</b> Brushed Bronze finish		
□ <b>MB</b> Matte Black finish		
□ STN Satin Nickel finish		
□ <b>L7</b> Less handle		
□ TC Test Cap Trim (includes TA-10&T-12A)  used with S162 or S161 Series Temptrol  Valve  Note: Append appropriate suffix to model number.		
•		

## **SKU Builder**

Series	Finish	Modifier	Flow Rate	TRM (required)	TC	Final SKU
S5890	МВ	L7		TRM	TC	S5890MBL7TRMTC
S5890	MB			TRM		S5890MBTRM

Note: No more than two modifiers (L1-L7) permitted when ordering. Modifiers will list in numerical order.


## **Architectural/Engineering Specification**

Symmons Braston Shower Valve Trim \_\_\_\_\_\_ Includes Braston shower valve Trim powered by Temptrol® Pressure Balancing Shower Valve, integral volume control. Features inculde metal lever handle. Components made from metal and nonmetal materials, plated in standard Polished Chrome finish. 10 Year Commercial Warranty. ASME A112.18.2/CSA B125.1 compliant. Lever handle meets ADA requirements for operation. Available options: REB = Rebuild trim kit, BBZ = Brushed Bronze finish,STN = Satin Nickel finish, MB = Matte Black finish, L7 = Less handle, and TC = Test Cap Trim.



S5890TRM

## **Dimensions**



#### Notes:

- 1) Valve body and piping not included and shown as reference only.
- 2) Plaster shield (p/n T-176) for dry wall, plaster or other type walls 1/2" or greater.
- 3) All dimensions measured from nominal rough-in (see 2-3/8" ± 1/2"[60 mm ± 13 mm] as reference).
- 4) Dimensions subject to change without notice.