

The Refuge Square LED outdoor light from Tech Lighting exudes clean contemporary styling while projecting a warm, multidimensional glow indoors or out. The smart combination of a semi-enclosed one-piece square metal shade and a complementary elongated rectangular molded glass diffuser create an alluring visual effect sure to add a highly functional decorative element to your exterior façade that is equally beautiful. Two size options allow this outdoor light to be adapted to a variety of outdoor lighting applications such as front door lighting, entry lighting and garage lighting and each are fully dimmable for creating the desired ambiance indoors or out.

High quality LM80-tested LEDs

for consistent long-life performance and color

Outstanding protection against the elements:

- Marine-grade powder coat finishes
- · Stainless Steel mounting hardware
- Impact-resistant, UV stabilized frosted acrylic lensing
- IP-65 Rated

SPECIFICATIONS

DELIVERED LUMENS	610	
WATTS	10	
VOLTAGE	120V	
DIMMING	ELV	
LIGHT DISTRIBUTION	Symmetric	
MOUNTING OPTIONS	Wall	
CCT	2700K	
CRI	90	
COLOR BINNING	3 Step	
BUG RATING	N/A	
DARK SKY	Non-compliant	
WET LISTED	IP65	
GENERAL LISTING	ETL	
CALIFORNIA TITLE 24	Can be used to comply with CEC 2016 Title 24 Part 6 for outdoor use. Registration with CEC Appliance Database not required.	
START TEMP	-30°C	
FIELD SERVICEABLE LED	Yes	
CONSTRUCTION	Aluminum	
HARDWARE	Stainless Steel	
FINISH	Marine Grade Powder Coat	
LED LIFETIME	L70; 70,000 Hours	
WARRANTY*	5 Years	
WEIGHT	3.2 lbs.	





REFUGE SQUARE SMALL shown in charcoal/satin haze


ORDERING INFORMATION

700WSRFGS	SHAPE OR SIZE	FINISH	LAMP
	S SMALL	ZG BRONZE/GOLD HAZE HS CHARCOAL/SATIN HAZE	-LED927 LED 90 CRI 2700K 120V

^{*} Visit techlighting.com for specific warranty limitations and details.

REFUGE SQUARE SMALL OUTDOOR





Refuge Square Small

PHOTOMETRICS*

 $\hbox{``For latest photometrics, please visit www. techlighting.com/OUTDOOR'}$

REFUGE SQUARE SMALL

Total Lumen Output: 610
Total Power: 10
Luminaire Efficacy: 61
Color Temp: 2700K
CRI: 90
BUG Rating: N/A

PROJECT INFO

FIXTURE TYPE & QUANTITY JOB NAME & INFO NOTES



GENERATION BRANDS

a registered trademark of Tech Lighting, L.L.C.
7400 Linder Avenue, Skokie, Illinois 60077
nts without notification.
T 847.410.4400 F 847.410.4500





The Refuge Square LED outdoor light from Tech Lighting exudes clean contemporary styling while projecting a warm, multidimensional glow indoors or out. The smart combination of a semi-enclosed one-piece square metal shade and a complementary elongated rectangular molded glass diffuser create an alluring visual effect sure to add a highly functional decorative element to your exterior façade that is equally beautiful. Two size options allow this outdoor light to be adapted to a variety of outdoor lighting applications such as front door lighting, entry lighting and garage lighting and each are fully dimmable for creating the desired ambiance indoors or out.

High quality LM80-tested LEDs

for consistent long-life performance and color

Outstanding protection against the elements:

- Marine-grade powder coat finishes
- Stainless Steel mounting hardware
- Impact-resistant, UV stabilized frosted acrylic lensing
- IP-65 Rated

SPECIFICATIONS

DELIVERED LUMENS	1098	
WATTS	18	
VOLTAGE	120V	
DIMMING	ELV	
LIGHT DISTRIBUTION	Symmetric	
MOUNTING OPTIONS	Wall	
ССТ	2700K	
CRI	90	
COLOR BINNING	3 Step	
BUG RATING	N/A	
DARK SKY	Non-compliant	
WET LISTED	IP65	
GENERAL LISTING	ETL	
CALIFORNIA TITLE 24	Can be used to comply with CEC 2016 Title 24 Part 6 for outdoor use. Registration with CEC Appliance Database not required.	
START TEMP	-30°C	
FIELD SERVICEABLE LED	Yes	
CONSTRUCTION	Aluminum	
HARDWARE	Stainless Steel	
FINISH	Marine Grade Powder Coat	
	L70; 70,000 Hours	
LED LIFETIME	2707707000110013	
WARRANTY*	5 Years	





REFUGE SQUARE LARGE shown in bronze/gold haze


ORDERING INFORMATION

700WSRFGS	SHAPE OR SIZE	FINISH	LAMP
	L LARGE	ZG BRONZE/GOLD HAZE HS CHARCOAL/SATIN HAZE	-LED927 LED 90 CRI 2700K 120V

^{*} Visit techlighting.com for specific warranty limitations and details.

REFUGE SQUARE LARGE OUTDOOR





Refuge Square Large

PHOTOMETRICS*

*For latest photometrics, please visit www. techlighting.com/OUTDOOR

REFUGE SQUARE LARGE

Total Lumen Output: 1098
Total Power: 18
Luminaire Efficacy: 61
Color Temp: 2700K
CRI: 90
BUG Rating: N/A

PROJECT INFO

FIXTURE TYPE & QUANTITY

JOB NAME & INFO

NOTES



GENERATION BRANDS 7400 Linder Avenue, Skokie, Illinois 60077 T 847.410.4400 F 847.410.4500

