Eco Drake® Transitional, ADA, 1.28GPF

FEATURES

- Transitional design
- E-Max® flushing system, low consumption (1.28GPF/4.8LPF)
- Universal Height
- Two-piece design with high-profile tank
- Elongated front bowl and tank set, less seat
- Chrome trip lever
- 12" Rough-in, less supply
- ADA compliant

MODELS

- CST744ELN Elongated bowl, 12" rough-in, less seat
- CST744ELRN*
 Same as above with right hand trip lever (special order)

COMPONENTS

- C744EL Elongated Front Bowl
- ST744E Tank and Cover only Left-hand trip lever
- ST744ER Tank and Cover only Right-hand trip lever
- SS114 SoftClose® seat (sold separately)
- SC134 commercial seat (sold separately)
- SC534 commercial seat (sold separately)

COLORS/FINISHES

#01 Cotton
#03 Bone
#11 Colonial White
#12 Sedona Beige
#51 Ebony

PRODUCT SPECIFICATION

The two-piece E-Max flushing system toilet shall be 1.28GPF/4.8LPF. Toilet shall be universal height and ADA compliant. Toilet shall have high-profile tank, elongated front bowl and chrome trip lever. Toilet shall be TOTO Model CST744EL____N___.





CODES/STANDARDS

- Meets and exceeds ASME A112.19.2/CSA B45.1
- Certifications: IAPMO(cUPC), EPA Watersense, State of Massachusetts, City of Los Angeles, and others
- Code compliance: UPC, IPC, NSPC, NPC Canada, and others
- Legislative Compliance: California AB715, California Green Building Code, City of Los Angeles Water Efficiency Ordinance
- ADA compliant (when installed with trip lever located on the approach side)







Eco Drake® Transitional, ADA, 1.28GPF

SPECIFICATIONS

Water Use
 1.28 GPF/4.8LPF

Flush System E-Max
 Min. Water Pressure 8 psi (static)
 Water Surface 10-3/8" x 8-1/4"

Trap Diameter 2-1/8"
 Rough-in 12"
 Trap Seal 2-3/8"

• Warranty One Year Limited Warranty

 Material Vitreous china
 Shipping Weight C744EL - 56.5lbs ST744E(R) - 36lbs

Shipping Dimensions C744EL


29-1/2"L x 16"W1 x 10-1/4"W2 x 18-1/4"H


ST744E(R) 20-3/4"L x 9"W x 18-1/8"H

INSTALLATION NOTES

Back-to-Back Toilet Installations:

TOTO recommends the use of a nationally listed, double sanitary tee-wye only, in vertical waste stacks, in accordance with the stipulations noted in the majority of nationally recognized plumbing codes.





These dimensions and specifications are subject to change without notice