

### FEATURES

- An attractive, frameless smooth soft close shower door that features a special Nano protected surface treatment that keeps glass looking clean.
- Includes wall mounted door and (1) stationary panel.
- New TruMotion technology features premium engineered hydraulic hinge for easy and quiet soft closing doors.
- SUS304 material for hinge.
- Reversible Design for left hand door or right hand door.
- Max 1/5" adjustment for out of plumb on hinge side and Max 1/2" adjustment for out of plumb on another side with inline panel.
- Wall opening size range from 30" to 60-1/2" with 1" incremental.
- 76" Clearance Height.
- Tempered glass is ANSI Z97.1. certified. Glass thickness: 3/8" (10mm) available in Clear.
- Hardware finishes: Polished Chrome, Brushed Stainless, Matte Black, and Champagne Bronze.
- Shower base threshold minimum requirement is 1" wide.
- IMPORTANT! All measurements should be taken only AFTER walls are finished (tile, back walls, etc.); Professional installation recommended.
- Limited Lifetime Warranty for residential use and 1 year when used commercially.

TruMOTION 



### To Be Specified : Hardware Color

<input type="checkbox"/>	PC Chrome
<input type="checkbox"/>	BN Brushed Nickel
<input type="checkbox"/>	CB Champagne Bronze
<input type="checkbox"/>	MB Matte Black



Chrome



Brushed Nickel



Champagne Bronze




Matte Black

### To Be Specified : Glass

<input type="checkbox"/>	C Clear
--------------------------	---------




Clear



SHOWER DOORS

### Specify Model

Using Configuration  
Measurements below



### CONFIGURATION MEASUREMENTS:

**A:** Wall-to-wall Opening Size

**B:** Door Height

**C:** Door Width

**D:** Inline Panel Width

**E:** Walk-in Width


	Size	Model	Glass	Wall-to-wall opening Size (A)	Door Height (B)	Door Width (C)	Inline Panel Width (D)	Walk-in Width (E)	Weight
<input type="checkbox"/>	30" x 76"	EHTB30247610C-	Clear (10 mm)	30"	76"	24"	6"	22"	120 lbs.
<input type="checkbox"/>	30.5" x 76"	EHTB305247610C-	Clear (10 mm)	30.5"	76"	24"	6.5"	22"	122 lbs.
<input type="checkbox"/>	31" x 76"	EHTB31257610C-	Clear (10 mm)	31"	76"	25"	6"	23"	122 lbs.
<input type="checkbox"/>	31.5" x 76"	EHTB315257610C-	Clear (10 mm)	31.5"	76"	25"	6.5"	23"	124 lbs.
<input type="checkbox"/>	32" x 76"	EHTB32267610C-	Clear (10 mm)	32"	76"	26"	6"	24"	124 lbs.
<input type="checkbox"/>	32.5" x 76"	EHTB325267610C-	Clear (10 mm)	32.5"	76"	26"	6.5"	24"	126 lbs.
<input type="checkbox"/>	33" x 76"	EHTB33277610C-	Clear (10 mm)	33"	76"	27"	6"	25"	126 lbs.
<input type="checkbox"/>	33.5" x 76"	EHTB335277610C-	Clear (10 mm)	33.5"	76"	27"	6.5"	25"	128 lbs.
<input type="checkbox"/>	34" x 76"	EHTB34287610C-	Clear (10 mm)	34"	76"	28"	6"	26"	128 lbs.
<input type="checkbox"/>	34.5" x 76"	EHTB345287610C-	Clear (10 mm)	34.5"	76"	28"	6.5"	26"	131 lbs.
<input type="checkbox"/>	35" x 76"	EHTB35297610C-	Clear (10 mm)	35"	76"	29"	6"	27"	131 lbs.
<input type="checkbox"/>	35.5" x 76"	EHTB355297610C-	Clear (10 mm)	35.5"	76"	29"	6.5"	27"	133 lbs.
<input type="checkbox"/>	36" x 76"	EHTB36307610C-	Clear (10 mm)	36"	76"	30"	6"	28"	135 lbs.
<input type="checkbox"/>	36" x 76"	EHTB36247610C-	Clear (10 mm)	36"	76"	24"	12"	22"	135 lbs.
<input type="checkbox"/>	36.5" x 76"	EHTB365307610C-	Clear (10 mm)	36.5"	76"	30"	6.5"	28"	137 lbs.
<input type="checkbox"/>	36.5" x 76"	EHTB365247610C-	Clear (10 mm)	36.5"	76"	24"	12.5"	22"	137 lbs.
<input type="checkbox"/>	37" x 76"	EHTB37257610C-	Clear (10 mm)	37"	76"	25"	12"	23"	139 lbs.
<input type="checkbox"/>	37.5" x 76"	EHTB375257610C-	Clear (10 mm)	37.5"	76"	25"	12.5"	23"	142 lbs.
<input type="checkbox"/>	38" x 76"	EHTB38267610C-	Clear (10 mm)	38"	76"	26"	12"	24"	142 lbs.
<input type="checkbox"/>	38.5" x 76"	EHTB385267610C-	Clear (10 mm)	38.5"	76"	26"	12.5"	24"	144 lbs.
<input type="checkbox"/>	39" x 76"	EHTB39277610C-	Clear (10 mm)	39"	76"	27"	12"	25"	144 lbs.
<input type="checkbox"/>	39.5" x 76"	EHTB395277610C-	Clear (10 mm)	39.5"	76"	27"	12.5"	25"	146 lbs.
<input type="checkbox"/>	40" x 76"	EHTB40287610C-	Clear (10 mm)	40"	76"	28"	12"	26"	146 lbs.
<input type="checkbox"/>	40.5" x 76"	EHTB405287610C-	Clear (10 mm)	40.5"	76"	28"	12.5"	26"	148 lbs.
<input type="checkbox"/>	41" x 76"	EHTB41297610C-	Clear (10 mm)	41"	76"	29"	12"	27"	148 lbs.
<input type="checkbox"/>	41.5" x 76"	EHTB415297610C-	Clear (10 mm)	41.5"	76"	29"	12.5"	27"	150 lbs.
<input type="checkbox"/>	42" x 76"	EHTB42307610C-	Clear (10 mm)	42"	76"	30"	12"	28"	152 lbs.
<input type="checkbox"/>	42" x 76"	EHTB42247610C-	Clear (10 mm)	42"	76"	24"	18"	22"	152 lbs.
<input type="checkbox"/>	42.5" x 76"	EHTB425307610C-	Clear (10 mm)	42.5"	76"	30"	12.5"	28"	154 lbs.
<input type="checkbox"/>	42.5" x 76"	EHTB425247610C-	Clear (10 mm)	42.5"	76"	24"	18.5"	22"	154 lbs.
<input type="checkbox"/>	43" x 76"	EHTB43257610C-	Clear (10 mm)	43"	76"	25"	18"	23"	155 lbs.
<input type="checkbox"/>	43.5" x 76"	EHTB435257610C-	Clear (10 mm)	43.5"	76"	25"	18.5"	23"	157 lbs.
<input type="checkbox"/>	44" x 76"	EHTB44267610C-	Clear (10 mm)	44"	76"	26"	18"	24"	157 lbs.
<input type="checkbox"/>	44.5" x 76"	EHTB445267610C-	Clear (10 mm)	44.5"	76"	26"	18.5"	24"	159 lbs.
<input type="checkbox"/>	45" x 76"	EHTB45267610C-	Clear (10 mm)	45"	76"	27"	18"	25"	159 lbs.
<input type="checkbox"/>	45.5" x 76"	EHTB455277610C-	Clear (10 mm)	45.5"	76"	27"	18.5"	25"	161 lbs.
<input type="checkbox"/>	46" x 76"	EHTB46287610C-	Clear (10 mm)	46"	76"	28"	18"	26"	161 lbs.
<input type="checkbox"/>	46.5" x 76"	EHTB465287610C-	Clear (10 mm)	46.5"	76"	28"	18.5"	26"	164 lbs.
<input type="checkbox"/>	47" x 76"	EHTB47297610C-	Clear (10 mm)	47"	76"	29"	18"	27"	164 lbs.
<input type="checkbox"/>	47.5" x 76"	EHTB475297610C-	Clear (10 mm)	47.5"	76"	29"	18.5"	27"	166 lbs.
<input type="checkbox"/>	48" x 76"	EHTB48307610C-	Clear (10 mm)	48"	76"	30"	18"	28"	169 lbs.
<input type="checkbox"/>	48" x 76"	EHTB48247610C-	Clear (10 mm)	48"	76"	24"	24"	22"	169 lbs.
<input type="checkbox"/>	48.5" x 76"	EHTB485307610C-	Clear (10 mm)	48.5"	76"	30"	18.5"	28"	171 lbs.
<input type="checkbox"/>	48.5" x 76"	EHTB485247610C-	Clear (10 mm)	48.5"	76"	24"	24.5"	22"	171 lbs.
<input type="checkbox"/>	49" x 76"	EHTB49257610C-	Clear (10 mm)	49"	76"	25"	24"	23"	175 lbs.
<input type="checkbox"/>	49.5" x 76"	EHTB495257610C-	Clear (10 mm)	49.5"	76"	25"	24.5"	23"	177 lbs.
<input type="checkbox"/>	50" x 76"	EHTB50267610C-	Clear (10 mm)	50"	76"	26"	24"	24"	177 lbs.
<input type="checkbox"/>	50.5" x 76"	EHTB505267610C-	Clear (10 mm)	50.5"	76"	26"	24.5"	24"	179 lbs.
<input type="checkbox"/>	51" x 76"	EHTB51277610C-	Clear (10 mm)	51"	76"	27"	24"	25"	179 lbs.
<input type="checkbox"/>	51.5" x 76"	EHTB515277610C-	Clear (10 mm)	51.5"	76"	27"	24.5"	25"	181 lbs.
<input type="checkbox"/>	52" x 76"	EHTB52287610C-	Clear (10 mm)	52"	76"	28"	24"	26"	181 lbs.
<input type="checkbox"/>	52.5" x 76"	EHTB525287610C-	Clear (10 mm)	52.5"	76"	28"	24.5"	26"	183 lbs.
<input type="checkbox"/>	53" x 76"	EHTB53297610C-	Clear (10 mm)	53"	76"	29"	24"	27"	183 lbs.
<input type="checkbox"/>	53.5" x 76"	EHTB535297610C-	Clear (10 mm)	53.5"	76"	29"	24.5"	27"	186 lbs.
<input type="checkbox"/>	54" x 76"	EHTB54307610C-	Clear (10 mm)	54"	76"	30"	24"	28"	186 lbs.
<input type="checkbox"/>	54" x 76"	EHTB54247610C-	Clear (10 mm)	54"	76"	24"	30"	22"	186 lbs.
<input type="checkbox"/>	54.5" x 76"	EHTB545307610C-	Clear (10 mm)	54.5"	76"	30"	24.5"	28"	188 lbs.
<input type="checkbox"/>	54.5" x 76"	EHTB545247610C-	Clear (10 mm)	54.5"	76"	24"	30.5"	22"	188 lbs.
<input type="checkbox"/>	55" x 76"	EHTB55257610C-	Clear (10 mm)	55"	76"	25"	30"	23"	188 lbs.
<input type="checkbox"/>	55.5" x 76"	EHTB555257610C-	Clear (10 mm)	55.5"	76"	25"	30.5"	23"	190 lbs.
<input type="checkbox"/>	56" x 76"	EHTB56267610C-	Clear (10 mm)	56"	76"	26"	30"	24"	190 lbs.
<input type="checkbox"/>	56.5" x 76"	EHTB565267610C-	Clear (10 mm)	56.5"	76"	26"	30.5"	24"	192 lbs.
<input type="checkbox"/>	57" x 76"	EHTB57277610C-	Clear (10 mm)	57"	76"	27"	30"	25"	192 lbs.
<input type="checkbox"/>	57.5" x 76"	EHTB575277610C-	Clear (10 mm)	57.5"	76"	27"	30.5"	25"	194 lbs.
<input type="checkbox"/>	58" x 76"	EHTB58287610C-	Clear (10 mm)	58"	76"	28"	30"	26"	194 lbs.
<input type="checkbox"/>	58.5" x 76"	EHTB585287610C-	Clear (10 mm)	58.5"	76"	28"	30.5"	26"	197 lbs.
<input type="checkbox"/>	59" x 76"	EHTB59297610C-	Clear (10 mm)	59"	76"	29"	30"	27"	197 lbs.
<input type="checkbox"/>	59.5" x 76"	EHTB595297610C-	Clear (10 mm)	59.5"	76"	29"	30.5"	27"	199 lbs.
<input type="checkbox"/>	60" x 76"	EHTB60307610C-	Clear (10 mm)	60"	76"	30"	30"	28"	199 lbs.
<input type="checkbox"/>	60.5" x 76"	EHTB605307610C-	Clear (10 mm)	60.5"	76"	30"	30.5"	28"	201 lbs.

## FEATURES

- Handles are available in 2 distinctive series.
- Handle size is 19.69" (500mm) center hole to center hole.
- Finish: Polished Chrome (PC), Brushed Stainless (BS), Champagne Bronze (CB) and Matte Black (MB)
- Limited Lifetime Warranty for residential use and 1 year when used commercially.

## Diamond & Meridian Series Shower Door Handles

Our extensive collection of high end handles add a distinctive look to your shower door and bathroom.



\* Matching grab bar available in different sizes.

### 1. Specify Model: Series & Style

Model	Style	Weight
<b>DIAMOND SERIES</b>		
<input type="checkbox"/> DH-BND-D-	Diamond <b>Barn Door Double Sided</b>	3 lbs.
<input type="checkbox"/> DH-BND-K-	Diamond <b>Barn Door Handle &amp; Knob</b>	2 lbs.
<b>MERIDIAN SERIES</b>		
<input type="checkbox"/> MH-BND-D-	Meridian <b>Barn Door Double Sided</b>	3 lbs.
<input type="checkbox"/> MH-BND-K-	Meridian <b>Barn Door Handle &amp; Knob</b>	2 lbs.



### 2. To Be Specified: Handle Name

<input type="checkbox"/> <b>BK</b> Bella Knurled	<input type="checkbox"/> <b>T</b> Turin
--	---

### 3. To Be Specified: Color

<input type="checkbox"/> <b>PC</b> Polished Chrome
<input type="checkbox"/> <b>BN</b> Brushed Stainless
<input type="checkbox"/> <b>CB</b> Champagne Bronze
<input type="checkbox"/> <b>MB</b> Matte Black

