


LOW - VOLTAGE HEADS

Sprocket Head

DESCRIPTION

The Sprocket display head by Tech Lighting is simple in design but extremely functional, featuring several modern and contemporary customization possibilities. The Sprocket provides light where you need it the most with its 360° rotating head and pivots 260° on a vertical axis. The removable handle extension on the back serves as a functional addition assisting with pivots and rotations. Pair with any Tech Lighting glare-reducing lens shield (sold separately) to reduce glare. This highly customizable display head features two on-trend hardware finishes and six distinct stem lengths. Enhance your space all the more by combining the Sprocket display head with a Tech Lighting free-jack or rail system. This low-voltage display head is ideal for commercial lighting applications such as retail stores, libraries and galleries. Lamp not included. Rated for 75 watt max. halogen MR16 lamp see pg. 591 of the Tech FL catalog for LED MR16 lamping options. Dimmable with Low-Voltage electronic or magnetic dimmer (based on transformer). Works with SORAA.



INSTALLATION

Socket terminates with FreeJack male connector, which may be installed into a system connector. Elements ordered with a system prefix include a connector for that system.

ACCESSORIES & OPTICAL CONTROLS

Backlight Shield, Barndoors, Snap Louver Lens Holder

WEIGHT

0.35-0.9lb / 0.16-0.41kg ±



bare

straight

with backlight shield accessory

with barndoors

with mesh backlight shield accessory and eggcrate louver

ORDERING INFORMATION

700 SYSTEM	SP	LENGTH (A)	FINISH
FJ	FREEJACK	3 3"	Z ANTIQUE BRONZE
MP	MONOPOINT	6 6"	C CHROME
MO	MONORAIL	12 12"	S SATIN NICKEL
WMO	WALL MONORAIL		

Note: MP includes 4" Round Flush Canopy.



700 ____ SP ____

FIXTURE TYPE: _____

JOB NAME: _____

NOTES: _____



©2020 Tech Lighting, L.L.C. All Rights Reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.