HARDSCAPE - 18" DUAL CCT



LANDSCAPE LIGHTING

Fixture Type:

Catalog Number:

Project:

Location:

PRODUCT DESCRIPTION

7181-27/30

Hardscape luminaire. Multiple mounting options with durable aluminum construction.

FEATURES

- Integrate brightness control, duo color temperature option
- Conveniently adapts into existing 12V system
- Translucent diffuser eliminates worrisome hotspots for even light projection
- Mounting options included; stainless seel under capstone brackets, clips and hardware
- Simple two screw mounting option into handrails, bench seats, decks, steps and fences
- IP66 rated, protected against high pressure water jets
- Potted electronics and conformal coated LEDs for long term moisture protection
- Maintains constant lumen output against voltage drop
- Includes 6 foot lead wire
- UL 1838 Listed

SPECIFICATIONS

Input:	9 - 15VAC (Transformer is required)
Power:	8.5W / 8.5VA
Brightness:	330 lm
CRI:	90+
Rated Life:	50,000 hours

ORDERING NUMBER

	Color Temp	Finish
7181 Duo CCT Hardscape 12"	2700K 27/30 or 3000K	BZBronze on AluminumGHGraphite on AluminumSDSand on Aluminum

7181-27/30___

Example: 7181-27/30BZ

waclighting.com Phone (800) 526.2588 Fax (800) 526.2585 Western Distribution Center 1750 Archibald Avenue Ontario, CA 91760

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program.

HARDSCAPE - 18" DUAL CCT

7181-27/30



LANDSCAPE LIGHTING





6 foot lead wire located on center fixture for ease of measurements





Magnetic Transformers

Stainless Steel, 12-15V output, IP65 rated, UL 1838 listed See transformer spec sheet for details and its accessories

9075-TRN-SS 75W Max **9150-TRN-SS** 150W Max **9300-TRN-SS** *300W Max*





waclighting.com Phone (800) 526.2588 Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive Port Washington, NY 11050 **Central Distribution Center** 1600 Distribution Ct Lithia Springs, GA 30122 Western Distribution Center 1750 Archibald Avenue Ontario, CA 91760

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program.

HARDSCAPE - 12" DUAL CCT




7121-27/30



LANDSCAPE LIGHTING

Catalog Number:
Project:

Location:



PRODUCT DESCRIPTION

Hardscape luminaire. Multiple mounting options with durable aluminum construction.

FEATURES

- Integrate brightness control, duo color temperature option
- Conveniently adapts into existing 12V system
- Translucent diffuser eliminates worrisome hotspots for even light projection
- Mounting options included; stainless seel under capstone brackets, clips and hardware
- Simple two screw mounting option into handrails, bench seats, decks, steps and fences
- IP66 rated, protected against high pressure water jets
- Potted electronics and conformal coated LEDs for long term moisture protection
- Maintains constant lumen output against voltage drop

Color Temp

- Includes 6 foot lead wire
- UL 1838 Listed

SPECIFICATIONS

Input:	9 - 15VAC (Transformer is required)
Power:	7.0W / 7.3VA
Brightness:	225 lm
CRI:	90+
Rated Life:	50,000 hours

ORDERING NUMBER

7121 Duo CC Hardsco	T ape 12" 27/30	2700K or 3000K	BZ GH SD	Bronze on Aluminum Graphite on Aluminum Sand on Aluminum
------------------------	---------------------------	----------------------	----------------	--

Finish

7121-27/30

Example: 7121-27/30BZ

waclighting.com Phone (800) 526.2588 (800) 526.2585 Fax

HARDSCAPE - 12" DUAL CCT

7121-27/30



LANDSCAPE LIGHTING





6 foot lead wire located on center fixture for ease of measurements





Magnetic Transformers

Stainless Steel, 12-15V output, IP65 rated, UL 1838 listed See transformer spec sheet for details and its accessories

9075-TRN-SS 75W Max **9150-TRN-SS** 150W Max **9300-TRN-SS** *300W Max*





waclighting.com Phone (800) 526.2588 Fax (800) 526.2585 **Central Distribution Center** 1600 Distribution Ct Lithia Springs, GA 30122 Western Distribution Center 1750 Archibald Avenue Ontario, CA 91760

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program.

HARDSCAPE - 6" DUAL CCT

7061-27/30




LANDSCAPE LIGHTING

Fixture Type:

Catalog Number:

Project:

Location:



 \bigcirc

0

0 • 0

(1

PRODUCT DESCRIPTION

 \bigcirc

0

Hardscape luminaire. Multiple mounting options with durable aluminum construction.

3'

(4)

FEATURES

- Integrate brightness control, duo color temperature option
- Conveniently adapts into existing 12V system

U

 \bigcirc

0 • 0 • 0 •

- Translucent diffuser eliminates worrisome hotspots for even light projection
- Mounting options included; stainless seel under capstone brackets, clips and hardware
- Simple two screw mounting option into handrails, bench seats, decks, steps and fences
- IP66 rated, protected against high pressure water jets
- Potted electronics and conformal coated LEDs for long term moisture protection
- Maintains constant lumen output against voltage drop
- Includes 6 foot lead wire
- UL 1838 Listed

ORDERING NUMBER

	Color Te	mp	Finish	
7061 Hardscape 6"	27/30	2700K or 3000K	BZ GH SD	Bronze on Aluminum Graphite on Aluminum Sand on Aluminum

7061-27/30___

Example: 7061-27/30GH

waclighting.com Phone (800) 526.2588 Fax (800) 526.2585

SPECIFICATIONS Input: 9-1

Input:	9 - 15VAC (Transformer is required)
Power:	4.5W / 5.6VA
Brightness:	120 lm
CRI:	90+
Rated Life:	50,000 hours

HARDSCAPE - 6" DUAL CCT

7061-27/30



LANDSCAPE LIGHTING





6 foot lead wire located on center fixture for ease of measurements





Magnetic Transformers

Stainless Steel, 12-15V output, IP65 rated, UL 1838 listed See transformer spec sheet for details and its accessories

9075-TRN-SS 75W Max **9150-TRN-SS** 150W Max **9300-TRN-SS** *300W Max*





waclighting.com Phone (800) 526.2588 Fax (800) 526.2585 **Central Distribution Center** 1600 Distribution Ct Lithia Springs, GA 30122 Western Distribution Center 1750 Archibald Avenue Ontario, CA 91760

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. MAR 14 2018



LANDSCAPE LIGHTING

Fixture Type:

Catalog Number:

Project:

Location:

PRODUCT DESCRIPTION

Hardscape luminaire. Multiple mounting options with durable aluminum construction.

16

27/16

Ō

FEATURES

- Conveniently adapts into existing 12V system
- Translucent diffuser eliminates worrisome hotspots for even light projection
- Mounting options included; stainless seel under capstone brackets, clips and hardware
- Simple two screw mounting option into handrails, bench seats, decks, steps and fences
- IP66 rated, protected against high pressure water jets
- Potted electronics and conformal coated LEDs for long term moisture protection
- Maintains constant lumen output against voltage drop
- Includes 6 foot lead wire
- UL 1838 Listed

ORDERING NUMBER

		Color	Temp	Finish	
7031 F	Hardscape 3"	27 30	2700K 3000K	BZ GH SD	Bronze on Aluminum Graphite on Aluminum Sand on Aluminum

7031-___BZ

Example: 7031-30BZ

SPECIFICATIONS

Input:	9 - 15VAC (Transformer is required)
Power:	1.4W / 2.5VA
Brightness:	40 lm
CRI:	90+
Rated Life:	70,000 hours





Stainless Steel Under Capstone Bracket included

waclighting.com Phone (800) 526.2588 Fax (800) 526.2585 **Central Distribution Center** 1600 Distribution Ct Lithia Springs, GA 30122 Western Distribution Center 1750 Archibald Avenue Ontario, CA 91760

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. MAR 14 2018



LANDSCAPE LIGHTING

/A()

Magnetic Transformers

Stainless Steel, 12-15V output, IP65 rated, UL 1838 listed See transformer spec sheet for details and its accessories

9075-TRN-SS 75W Max **9150-TRN-SS** 150W Max **9300-TRN-SS** 300W Max **9600-TRN-SS** 600W Max



TESTED MAGNETIC LOW VOLTAGE(MLV) DIMMERS

				Dimmer		
Luminaire Manufacturer	Family	Model	Power Rating	Range*	Note	
		Diva	DVLV-600	600W	55% - 100%	Output maxes at 30% dimming level
7031 3" Hardscape	Lutron	Skylark	SLV-600P	600W	39% - 100%	Output maxes at 30% dimming level
5 Harabeape		Skylark	S-10P	1000W		Not recommended

*Low end of this range is determined by output current which may not directly translate to the perceived light output

WAC Lighting fixtures are compatible with a variety of dimmers. For your convenience we have included a compatibility chart showing dimmers which have been tested with our products. The recommended list below is based upon testing conducted in a lab, and the results can vary in certain field applications due to a number of factors. Exclusion from the list does not imply incompatibility, just that it has not been tested by WAC Lighting. Please reference the dimmer manufacturer's instructions for installation, or contact a WAC lighting professional at 800-526-2588.

waclighting.com Phone (800) 526.2588 Fax (800) 526.2585 **Central Distribution Center** 1600 Distribution Ct Lithia Springs, GA 30122 Western Distribution Center 1750 Archibald Avenue Ontario, CA 91760