

MR57LED


LED Sconce

WAC LIGHTING

Responsible Lighting®



shown with G518-DIC



Fixture Type:

Catalog Number:

Project: _____

Location: _____

PRODUCT DESCRIPTION

MR57LED Sconce is compatible with any 500 series pendant under 6" in diameter.

FEATURES

- Accommodates any 500 series pendant under 6" in diameter (order separately)
- LED light source
- Integral electronic transformer
- 50,000 hour rated life
- 5 year WAC Lighting product warranty

FIXTURE PERFORMANCE

Color Temp	Watts	Lumens	Efficacy (Lm/W)	CRI
3000K	6	305	51	85

SPECIFICATIONS

Construction: Die-cast aluminum bracket and steel back plate.

Transformer: Electronic, 120V 50/60Hz input, 12V AC/60W output. 1W minimum load.

Light Source: Energy efficient LED.

Dimming: May be dimmed to 10% with an electronic low voltage (ELV) dimmer.

Mounting: Surface mounted to standard 4" junction box.

Finish: Brushed Nickel (BN), Chrome (CH) and Rubbed Bronze (RB).

Standards: UL & CUL Listed.

ORDER NUMBER

Model #	Lamping	Finish
WS-MR57LED	LED	BN <i>Brushed Nickel</i>
		CH <i>Chrome</i>
		RB <i>Rubbed Bronze</i>

FINISHES



WS - - with

Example: **WS-MR57LED-CH** with **G518-DIC**

WAC Lighting

www.waclighting.com

Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center

44 Harbor Park Drive • Port Washington, NY 11050

Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center

1750 Archibald Avenue • Ontario, CA 91760

Phone (800) 526.2588 • Fax (800) 526.2585

MR58

LED or Halogen Sconce

WAC LIGHTING

Responsible Lighting®




shown with G546-DIC

Fixture Type:

Catalog Number:

Project: _____

Location: _____



PRODUCT DESCRIPTION

MR58 Sconce is compatible with any 500 series pendant under 6" in diameter.

SPECIFICATIONS

Construction: Die-cast aluminum bracket and steel back plate.

Transformer: Electronic, 120V 50/60Hz input, 12V AC/60W output. 1W minimum load.

Light Source: LED, halogen or xenon (dependant on socket set).

Dimming: May be dimmed to 10% with an electronic low voltage (ELV) dimmer.

Mounting: Surface mounted to standard 4" junction box.

Finish: Brushed Nickel (BN), Chrome (CH) and Rubbed Bronze (RB).

Standards: UL & CUL Listed.

FEATURES

- Accommodates any 500 series pendant under 6" in diameter (order separately)
- Multiple lamping options available
- Socket sets available in multiple styles with matching finishes (order separately)
- Integral electronic transformer
- 50,000 hour rated life
- 5 year WAC Lighting product warranty

FIXTURE PERFORMANCE

Color Temp	Watts	Lumens	Efficacy (Lm/W)	CRI
3000K	6	305	51	85

ORDER NUMBER

Model	Lamping	Finish
WS-MR58LED	LED	BN <i>Brushed Nickel</i>
WS-MR58	Low Volt	CH <i>Chrome</i>
		RB <i>Rubbed Bronze</i>

FINISHES



WS - - with

Example: **WS-MR58-CH** with **G546-DIC**

WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center
44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center
1750 Archibald Avenue • Ontario, CA 91760
Phone (800) 526.2588 • Fax (800) 526.2585

MR57LED & MR58


Compatible 500 Series Pendants

WAC LIGHTING

Responsible Lighting®

QP536BL

Lamping: 12V Halogen JC-50
Power: 50W max




Model	Color	Socket Finish
QP536	BL Blue	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: **QP536BL/BN**

QP559

Lamping: 12V Halogen JC-50
Power: 50W max



Model	Color	Socket Finish
QP559	MR Mirror	BN Brushed Nickel
	GL Gold	CH Chrome
	DIC Dichroic	DB Dark Bronze

Example: **QP559-MR/CH**

QP599

Lamping: 12V Halogen JC-50
Power: 50W max



Model	Color	Socket Finish
QP599	BL Blue	BN Brushed Nickel
	UM Umber	CH Chrome
	WT White	DB Dark Bronze

Example: **QP599-UM/DB**

QP513

Lamping: 12V Halogen JC-50
Power: 50W max




Model	Color	Socket Finish
QP513	AM Amber	BN Brushed Nickel
	WT White	CH Chrome
		DB Dark Bronze

Example: **QP513-AM/CH**

QP512

Lamping: 12V Halogen JC-50
Power: 50W max




Model	Color	Socket Finish
QP512	AM Amber	BN Brushed Nickel
	BL Blue	CH Chrome
	RD Red	DB Dark Bronze
	WT White	

Example: **QP512-RD/CH**

QP546

Lamping: 12V Halogen JC-50
Power: 50W max




Model	Color	Socket Finish
QP546	DIC Dichroic	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: **QP546-DIC/BN**

QP518

Lamping: 12V Halogen JC-50
Power: 50W max




Model	Color	Socket Finish
QP518	DIC Dichroic	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: **QP518-DIC/BN**

QP530

Lamping: 12V Halogen JC-50
Power: 50W max




Model	Color	Socket Finish
QP530	GR Green	BN Brushed Nickel
	MC Multi-color	CH Chrome
		DB Dark Bronze

Example: **QP530-GR/BN**

QP515

Lamping: 12V Halogen JC-50
Power: 50W max



Model	Color	Socket Finish
QP515	AM Amber	BN Brushed Nickel
	MF Millefiori	CH Chrome
		DB Dark Bronze

Example: **QP515-AM/CH**

QP540

Lamping: 12V Halogen JC-50
Power: 50W max




Model	Color	Socket Finish
QP540	BK Black	BN Brushed Nickel
	BL Blue	CH Chrome
		DB Dark Bronze

Example: **QP540-BL/CH**

QP538

Lamping: 12V Halogen JC-50
Power: 50W max




Model	Color	Socket Finish
QP538	IR Iridescent	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: **QP538-IR/BN**

QP541

Lamping: 12V Halogen JC-50
Power: 50W max



Model	Color	Socket Finish
QP541	AM Amber	BN Brushed Nickel
	WT White	CH Chrome
		DB Dark Bronze

Example: **QP541-AM/CH**

WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center
44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center
1750 Archibald Avenue • Ontario, CA 91760
Phone (800) 526.2588 • Fax (800) 526.2585