


Premium Snow Melt Control MODEL SCP-120

FEATURES & BENEFITS

- Automatic snow/ice melting control
- Operates electrically- and mechanically held contactors for pilot duty applications
- Energy Management Computer (EMC) interface
- Accommodates MI, constant wattage and self-limiting heaters
- 120 VAC operation voltage

- · Multiple sensor capability
- · Heater hold-on and test capabilities
- CSA Certified for use in Canada and U.S.
- · Simple to install and operate
- Low system costs
- Minimum energy costs



DESCRIPTION

The SCP-120 Snow Melt Control, when used with compatible sensors, automatically controls snow/ice melting heaters, ensuring minimum operating costs. Typical applications include driveways, sidewalks, loading docks and stairs.

The adjustable hold-on timer continues heater operation for up to 10 hours after snowfall stops to ensure complete melting. The optional Remote Control Override RCO, can be located where system operation can be conveniently observed. It duplicates many of the controls and indicators on the SPC-120 front panel. It is used to clear tracked and drifting snow that may not land on a sensor.

**The calibrated 40°F to 90°F (4°C to 32°C) high limit Thermistor probe sensor (included) prevents excessive temperatures when using constant wattage and MI heaters. for testing the sensor, acceptable range is +/- 100,000 Ohms depending on temperature. It also permits safe testing at outdoor temperatures too high for continuous heater operation. The SPC-120 provides a relay closure interface for use with Energy Management Computers (EMC). This feature can also be used for general purpose remote control, annunciation and other advanced applications.

All sensor and communications wiring is NEC Class 2. This simplifies installation while enhancing fire and shock safety. The SPC-120 can interface with up to six sensors from the AIR-SS product family. Using more sensors provides superior performance by better matching the controller to site performance requirements.

The SPC-120 is an exceptionally capable deicing controller. For complete information describing its application, installation and features, please contact Customer Service or check on the web <u>www.WarmlyYours.com.</u> UL Listed for use in Canada and U.S. Markets.



SPECIFICATIONS

General		
Area of useNonhazardous locations		
ApprovalsType 873 Temperature Regulating Equipment c(U)us		
Enclosure		
Protection NEMA 3R		
Cover attachment		
Entries		
MaterialPolycarbonate		
MountingWall mounted		
Control		
Supply		
Load		
Contact type Form C		
Maximum Ratings		
Heater hold-on timer0 to 10 hours; actuated by snow stopping or toggle switch		
System test		
prevent damage.		
Snow/Ice Sensors		
Sensor type		
Circuit type NEC Class 2		
Lead length		
jacketed cable		
High Limit Thermostat		
Adjustment range		
Dead band1°F (0.6°C)		
Sensor typeThermistor network		
Circuit typeNEC Class 2		
Lead length		
Up to 1,000' (304m) using 12 AWG 2-wire jacketed cable		
Energy Management Computer (EMC) Interface		
InputsOVERRIDE ON (10 ma dry switch contact)		
OVERRIDE OFF (10 ma dry switch contact)		
Outputs		
SNOW (10 ma dry switch contact)		
HEAT (10 ma dry switch contact)		
HIGH TEMP (10 ma dry switch contact)		
ALARM (10 ma dry switch contact)		
Environmental		
Operating temperature–40°F to 160°F (–40°C to 71°C)		
Storage temperature–50°F to 180°F (–45°C to 82°C)		

ORDERING INFORMATION

ORDER NUMBER	DESCRIPTION	ACCESSORIES
SCP-120	PREMIUM SNOW MELT CONTROL	RCO REMOTE CONTROL OVERRIDE (OPTIONAL)
		AIR-SS AERIAL-MOUNTED SNOW SENSORS (SOLD SEPARATELY)

LIMITED WARRANTY

WarmlyYours 2-year limited warranty covering defects in workmanship and materials applies. Contact your Account Manager for complete warranty information.

This document is the property of WarmlyYours. Subject to change without notice.

10204 6/09