

THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.

HANDLING POSITION 1

Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

MODEL NUMBERS POSITIONS 2,3,4,5

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (o) in position 2.

- Knobsets / Leversets: See model numbers on page 4 & 5
- Deadbolts: See model numbers on page 5
- Handlesets: See model numbers on page 4

EXTERIOR & INTERIOR KNOB & LEVER DESIGNS POSITIONS 6 & 8

KNOBS	CODE
Hudson	G
Salem	S
LEVERS (NON-HANDED)	CODE
Somerset	V
New Haven	X
Bristol	W

EXTERIOR & INTERIOR FINISH CODES POSITIONS 7 & 9

FINISHES	U.S.	BMA	WESLOCK
Satin Nickel	15	619	N
Oil Rubbed Bronze	10B	613	1
Bright Chrome	26	625	6

LATCH CODES - STANDARD POSITIONS 10 & 11

CODE	LATCH
FR	2-3/8" or 2-3/4", Adjustable Latch Radius Faceplate
FS	2-3/8" or 2-3/4", Adjustable Latch Square Faceplate
DI	2-3/8" or 2-3/4", Adjustable Drive-in Latch (No Faceplate)

PACKAGING CODES POSITION 12

PACKAGING TYPES	CODE
Box Pack w/Phillips Head Wood Screws	2
Retail Pack	V

KEYING CODES POSITION 13


KEYING TYPES	CODE
Keyed Alike	A
Keyed Different	D
Master Keying charge per lock	M
Grand Master Keying charge per lock	G
Keying to Pass charge per lock	KTP
Home Guard™ charge per lock	HG
Owner Guard™ charge per lock (includes Master Key)	BK
Owner Guard™ charge per lock	OG
No Cylinder (zero)	0

LATCH & STRIKE SCREWS STANDARD

No. 7x3/4" Phillips Head Sheet Metal Screws for wood doors.

GENERAL SPECIFICATIONS

PRODUCT CATEGORY	CYLINDER		STRIKES		FACEPLATES		DOOR HANDLING	ADA	ANSI	UL	BORING REQUIREMENTS				DOOR THICKNESS		BACKSET	LATCH BOLT THROW	
	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL					CROSS BORE		EDGE BORE	LATCH FACE	STANDARD	SPECIAL		DEADBOLT	HANDLE
											DEADBOLT	HANDLE							
Handlesets	5 Pin Weslock Keyway	5 Pin Schlage Cor Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4", Radius (Square Optional)	2-1/4" full lip, Radius (Square Optional)	1" x 2-1/4" Removable Radius & Square	1" x 2-1/4" Square or Drive-in	Specify handing for New Haven handed lever, for all others reversible for right or left-hand doors	N/A	A 156.2 Grade III	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1" x 2-1/4"	1-3/8" -2"	N/A	Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Non-Adjustable 2-3/8" or 2-3/4"	1"	1/2"
Knobs	5 Pin Weslock Keyway	5 Pin Schlage Cor Kwikset Keyway	2-1/4" full lip, Radius (Square Optional)		1" x 2-1/4" Removable Radius	1" x 2-1/4" Square or Drive-in	Reversible for right or left-hand doors	N/A	A 156.2 Grade III	N/A	2-1/8"	1"	1" x 2-1/4"	1-3/8" -2"	N/A	Adjustable 2-3/8" or 2-3/4"		1/2"	
Levers	5 Pin Weslock Keyway	5 Pin Schlage Cor Kwikset Keyway	2-1/4" full lip, Radius (Square Optional)		1" x 2-1/4" Removable Radius	1" x 2-1/4" Square or Drive-in	Specify handing for 205, all other functions are reversible for right or left-hand doors	200 & 205 Functions Meet Sec. 4.13.9	A 156.2 Grade III	N/A	2-1/8"	1"	1" x 2-1/4"	1-3/8" -2"	N/A	Adjustable 2-3/8" or 2-3/4"		1/2"	
Deadbolts	5 Pin Weslock Keyway	5 Pin Schlage Cor Kwikset Keyway	1" x 2-1/4", Radius (Square Optional)		1" x 2-1/4" Removable Radius	1" x 2-1/4" Square or Drive-in	Reversible for right or left-hand doors	N/A	A 156.2 Grade III	N/A	2-1/8" or 1-5/8"	1"	1" x 2-1/4"	1-3/8" -2"	N/A	Adjustable 2-3/8" or 2-3/4"		1"	



ENTRY HANDLES

MODEL	A	B	C	D	E
Hillcrest	2-1/2"	*5-1/2"	8-7/16"	16-1/2"	2-7/8"
Parkside	2-1/2"	*5-1/2"	8-7/16"	16-1/2"	2-5/8"

*5-1/4" minimum




LEVERS

MODEL	A	B	C	D	E
Bristol	2-3/8"	-	-	-	2-5/8"
Somerset	2-5/8"	-	-	-	2-5/8"
New Haven	2-5/8"	-	-	-	2-5/8"

KNOBS

MODEL	A	B	C	D	E
Hudson	2-7/8"	-	-	-	2-5/8"
Salem	2-5/8"	-	-	-	2-5/8"



DEADBOLTS

MODEL		A	B	C	D	E
271	Single Cylinder	Interior	5/16"	-	-	2-1/2"
		Exterior	5/16"	-	-	2-1/2"
267	Non-Cylinder	Interior	5/16"	-	-	2-1/2"
		Exterior	-	-	-	-

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)