

# Molten Bronze Collection

KNOBS & LEVERS

2008



WEXFORD KNOB




DURHAM KNOB



CARLOW LEVER



MONOGHAN LEVER



WATERFORD LEVER

### Knob & Lever Features

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- 5-pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic-Proof Keylock/Privacy - one turn of interior knob/lever unlocks & opens door
- Push Button locking in Rosette
- Weslock Keyway standard (Optional Schlage Keyway)
- Solid Molten Bronze Levers, Knobs & Rosettes
- ADA compliant levers

### Knob & Lever Specifications


- Adjustable Latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" cross hole & 1" edge hole
- Adjusts to door thickness from 1-3/8" to 1-3/4"
- Optional door thickness from 1-3/4" to 2-1/4"

### Knob & Lever Warranty

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty

### Finishes

Oil Rubbed Bronze (1)  
Weathered Pewter (P)



\*Rust (R)  
\*Sandstone (H)  
\*Black (2)

\*Special Order Only

### Rosettes



Round



Premiere



Sutton

# Molten Bronze Collection

ENTRY HANDLES & DEADBOLTS

### Entry Handle Features

- Meets ANSI A 156.2 Grade II lock standards
- 5-pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Weslock Keyway standard (Optional Schlage Keyway)
- Solid Molten Brass
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Interconnect option for Stonebriar/Wiltshire

### Entry Handle Specifications

- Adjustable Latches 2-3/8" or 2-3/4" with removable faceplates
- Adjusts to door thickness from 1-3/4" to 2"
- Optional door thickness from 2" to 2-1/4"

### - Castletown

- Fits doors prepared with 2-1/8" top and 2-1/8" bottom cross holes & 1" edge hole
- 5-1/4" minimum center to center cross hole spacing

### - Stonebriar/Wiltshire/Tramore

- Fits doors prepared with 1-5/8" top and 2-1/8" bottom cross holes & 1" edge hole
- 5-1/2" center to center cross hole spacing

### Entry Handle Warranty

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty

### Deadbolt Features

- 5-pin Cylinder
- 1" throw deadbolt with two hardened steel rollers
- Heavy duty security strike with 3" screws
- Weslock Keyway standard (Optional Schlage Keyway)

### Deadbolt Specifications

- Adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" cross holes and 1" edge hole
- Adjusts to door thickness from 1-3/8" to 2"
- Optional door thickness from 2" to 2-1/4"

### Deadbolt Warranty

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty



WILTSHIRE



STONEBRIAR



TRAMORE



CASTLETOWN




Round



Premiere

### Finishes

Oil Rubbed Bronze (1)  
Weathered Pewter (P)




\*Rust (R)  
\*Sandstone (H)  
\*Black (2)

\*Special Order Only

# Molten Bronze Collection

## ENTRY HANDLES & DEADBOLTS



### CASTLETOWN - ENTRY HANDLE

ROUND	7615	Single Cylinder Deadbolt
	7619	Double Cylinder Deadbolt
	7614	Dummy Handle & Deadbolt
PREMIERE	7625	Single Cylinder Deadbolt
	7629	Double Cylinder Deadbolt
	7624	Dummy Handle & Deadbolt

### STONEBRIAR - ENTRY HANDLE

	7631	Single Cylinder Deadbolt
	7632	Double Cylinder Deadbolt
	7634	Single Cylinder Deadbolt - Interconnect
	7635	Dummy Handle & Deadbolt

### WILTSHIRE - ENTRY HANDLE

	7680	Single Cylinder Deadbolt
	7682	Double Cylinder Deadbolt
	7684	Single Cylinder Deadbolt - Interconnect
	7685	Dummy Handle & Deadbolt

### TRAMORE - ENTRY HANDLE

(specify Right or Left when ordering)

	R/L7641	Single Cylinder Deadbolt with Passage
	R/L7651	Single Cylinder Deadbolt with Keylock



All available in Wexford Knob (F), Durham Knob (M), Carlow Lever (H), Waterford Lever (Q), Monaghan Lever (N).

### PREMIERE X PREMIERE

	7571	Single Cylinder
	7572	Double Cylinder


### ROUND X ROUND

	7771	Single Cylinder
	7772	Double Cylinder




# Molten Bronze Collection

## KNOBS & LEVERS




### WEXFORD (F) KNOB

ROUND	7000	Passage (Hall & Closet)
	7005	Dummy Knob
	7010	Privacy (Bed & Bath)
	7040	Keylock (Keyed Entry)
PREMIERE	7100	Passage (Hall & Closet)
	7105	Dummy Knob
	7110	Privacy (Bed & Bath)
	7140	Keylock (Keyed Entry)
SUTTON	R/L7200	Passage (Hall & Closet)
	7205	Dummy Knob
	R/L7210	Privacy (Bed & Bath)



### DURHAM (M) KNOB


ROUND	7000	Passage (Hall & Closet)
	7005	Dummy Knob
	7010	Privacy (Bed & Bath)
	7040	Keylock (Keyed Entry)
PREMIERE	7100	Passage (Hall & Closet)
	7105	Dummy Knob
	7110	Privacy (Bed & Bath)
	7140	Keylock (Keyed Entry)
SUTTON	R/L7200	Passage (Hall & Closet)
	7205	Dummy Knob
	R/L7210	Privacy (Bed & Bath)



### CARLOW (H) HANDED LEVERSET


(specify Right or Left when ordering)

ROUND	R/L7000	Passage (Hall & Closet)
	R/L7005	Dummy Knob
	R/L7010	Privacy (Bed & Bath)
	R/L7040	Keylock (Keyed Entry)
PREMIERE	R/L7100	Passage (Hall & Closet)
	R/L7105	Dummy Knob
	R/L7110	Privacy (Bed & Bath)
	R/L7140	Keylock (Keyed Entry)
SUTTON	R/L7200	Passage (Hall & Closet)
	R/L7205	Dummy Knob
	R/L7210	Privacy (Bed & Bath)




### WATERFORD (Q) NON-HANDED LEVERSET

ROUND	7000	Passage (Hall & Closet)
	7005	Dummy Knob
	7010	Privacy (Bed & Bath)
	7040	Not Available in Keylock
PREMIERE	7100	Passage (Hall & Closet)
	7105	Dummy Knob
	7110	Privacy (Bed & Bath)
	7140	Not Available in Keylock
SUTTON	R/L7200	Passage (Hall & Closet)
	7205	Dummy Knob
	R/L7210	Privacy (Bed & Bath)



### MONOGHAN (N) NON-HANDED LEVERSET

ROUND	7000	Passage (Hall & Closet)
	7005	Dummy Knob
	7010	Privacy (Bed & Bath)
	7040	Keylock (Keyed Entry)
PREMIERE	7100	Passage (Hall & Closet)
	7105	Dummy Knob
	7110	Privacy (Bed & Bath)
	7140	Keylock (Keyed Entry)
SUTTON	R/L7200	Passage (Hall & Closet)
	7205	Dummy Knob
	R/L7210	Privacy (Bed & Bath)



2008

Elegance Collection  
KNOBS & LEVERS

2008



IMPRESA™ KNOB  
WOODWARD



IMPRESA™ KNOB  
PREMIERE



JULIENNE KNOB  
PREMIERE



JULIENNE KNOB  
OVAL



UTICA LEVER  
WOODWARD



LEGACY LEVER  
PREMIERE



LEGACY LEVER  
OVAL



BORDEAU LEVER  
PREMIERE



BORDEAU LEVER  
OVAL

**Knob & Lever Features**

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- 5-pin Cylinder
- Removable knobs/levers prevents scratching during installation
- Panic-Proof Keylock/Privacy - one turn of interior knob/lever unlocks & opens door
- Push Button locking in rosette
- Weslock Keyway standard (Optional Schlage Keyway)
- Zinc diecasted levers and rosettes
- All brass knobs
- ADA compliant levers

**Knob & Lever Specifications**

- Adjustable Latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" cross hole & 1" edge hole
- Adjusts to door thickness from 1-3/8" to 1-3/4"
- Optional door thickness from 1-3/4" to 2-1/4"

**Knob & Lever Warranty**

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function

**Finishes**

Satin Nickel (N)  
Oil Rubbed Bronze (I)

\*PVD (B)  
\*Polished Brass (3)  
\*Weathered Pewter (P)

\*Special Order Only

**Rosettes**

Premiere

Oval

Woodward



Elegance Collection  
ENTRY HANDLES & DEADBOLTS

**Entry Handle Features**

- 5-pin Cylinder
- Solid Brass
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Weslock Keyway standard (Optional Schlage Keyway)
- Removable knobs/levers prevents scratching during installation
- Interconnect Option Available

**Entry Handle Specifications**

- Adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 1-5/8" Top and 2-1/8" Bottom cross holes and 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2"
- Optional door thickness from 2" to 2-1/4"
- 5-1/2" center to center cross hole spacing

**Entry Handle Warranty**

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

**Deadbolt Features**

- 5-Pin Cylinder
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Heavy duty security strike with 3" screws
- Weslock Keyway standard (Optional Schlage Keyway)

**Deadbolt Specifications**

- Adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" cross holes and 1" edge hole
- Adjusts to door thickness from 1-3/8" to 2"
- Optional door thickness from 2" to 2-1/4"

**Deadbolt Warranty**

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

**Finishes**

Satin Nickel (N)  
Oil Rubbed Bronze (I)

\*PVD (B)  
\*Weathered Pewter (P)

\*Special Order Only



MANSION™



STANFORD™



WOODWARD I



WOODWARD II



Premiere



Oval



Woodward



PHILBROOK

800.575.2658




www.weslock.com

SECURITY. SAFETY & STYLE.

# Elegance Collection

## ENTRY HANDLES & DEADBOLTS




	Mansion™ (1 piece interior)	Stanford™ (1 piece interior)	Philbrook (1 piece interior)	Woodward I (1 piece interior)	Woodward II (1 piece interior)
<b>MANSION™</b>	6651 Single Cylinder Deadbolt	6652 Double Cylinder Deadbolt	6654 Single Cylinder Deadbolt - Interconnect	6655 Dummy Handle & Deadbolt	
<b>STANFORD™</b>	6661 Single Cylinder Deadbolt	6662 Double Cylinder Deadbolt	6664 Single Cylinder Deadbolt - Interconnect	6665 Dummy Handle & Deadbolt	
<b>PHILBROOK</b>	6641 Single Cylinder Deadbolt	6642 Double Cylinder Deadbolt	6644 Single Cylinder Deadbolt - Interconnect	6645 Dummy Handle & Deadbolt	
<b>WOODWARD I</b>	6681 Single Cylinder Deadbolt	6682 Double Cylinder Deadbolt	6684 Single Cylinder Deadbolt - Interconnect	6685 Dummy Handle & Deadbolt	
<b>WOODWARD II</b>	6691 Single Cylinder Deadbolt	6692 Double Cylinder Deadbolt	6694 Single Cylinder Deadbolt - Interconnect	6695 Dummy Handle & Deadbolt	

	DEADBOLT	Premiere & Oval	Woodward
<b>PREMIERE</b>	1771 Single Cylinder	1772 Double Cylinder	
<b>OVAL</b>	2771 Single Cylinder	2772 Double Cylinder	
<b>WOODWARD</b>	3771 Single Cylinder	3772 Double Cylinder	

# Elegance Collection

## KNOBS & LEVERS



	Impresa™ (I) KNOB	Julienne™ (J) KNOB	BORDEÁU™ (U) HANDED LEVERSET
<b>PREMIERE</b>	1700 Passage (Hall & Closet)	1700 Passage (Hall & Closet)	R/L1700 Passage (Hall & Closet)
	1705 Dummy Knob	1705 Dummy Knob	R/L1705 Dummy Knob
	1710 Privacy (Bed & Bath)	1710 Privacy (Bed & Bath)	R/L1710 Privacy (Bed & Bath)
	1740 Keylock (Keyed Entry)	1740 Keylock (Keyed Entry)	R/L1740 Keylock (Keyed Entry)
<b>WOODWARD</b>	3700 Passage (Hall & Closet)	3700 Passage (Hall & Closet)	R/L2700 Passage (Hall & Closet)
	3705 Dummy Knob	3705 Dummy Knob	R/L2705 Dummy Knob
	3710 Privacy (Bed & Bath)	3710 Privacy (Bed & Bath)	R/L2710 Privacy (Bed & Bath)
	3740 Keylock (Keyed Entry)	3740 Keylock (Keyed Entry)	R/L2740 Keylock (Keyed Entry)

	LEGACY™ (Y) NON-HANDED LEVERSET	UTICA (P) NON-HANDED LEVERSET
<b>PREMIERE</b>	1700 Passage (Hall & Closet)	3700 Passage (Hall & Closet)
	1705 Dummy Knob	3705 Dummy Knob
	1710 Privacy (Bed & Bath)	3710 Privacy (Bed & Bath)
	1740 Not Available in Keylock	3740 Keylock (Keyed Entry)
<b>OVAL</b>	2700 Passage (Hall & Closet)	WOODWARD
	2705 Dummy Knob	3700 Passage (Hall & Closet)
	2710 Privacy (Bed & Bath)	3705 Dummy Knob
	2740 Not Available in Keylock	3710 Privacy (Bed & Bath)
		3740 Keylock (Keyed Entry)

# Traditionale Collection

KNOBS & LEVERS

2008



### Knob & Lever Features

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- 5-pin Cylinder
- Locksets have pre-installed installation screws, which are concealed behind a snap-on rosette
- Removable knobs/levers prevents scratching during installation
- Panic-Proof Keylock/Privacy- one turn of interior knob/lever unlocks & opens door
- Push Button locking in Rosette
- Weslock Keyway standard (Optional Schlage and Kwikset Keyway)
- Zinc diecasted levers
- All brass knobs & rosettes
- ADA compliant levers


### Knob & Lever Specifications

- Adjustable Latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" cross hole & 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2-1/4"

### Knob & Lever Warranty

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function

### Finishes



# Traditionale Collection

ENTRY HANDLES & DEADBOLTS



### 2100 Series Entry Handle Features

- 5-pin Cylinder
- Solid Brass exterior
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Weslock Keyway standard (Optional Schlage and Kwikset Keyway)

### 2100 Series Entry Handle Specifications

- Adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" Top and 2-1/8" Bottom cross holes and 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2"
- 5-1/4" minimum center to center cross hole spacing
- Optional door thickness 2" to 2-1/4"

### 2100 Series Entry Handle Warranty

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

### 1300 Series Entry Handle Features

- 5-pin Cylinder
- Solid Brass exterior
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Meets 2-point locking codes


### 1300 Series Entry Handle Specifications

- Non-adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" Top and 2-1/8" Bottom cross holes and 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2-1/4"
- 8" minimum center to center cross hole spacing

### 1300 Series Entry Handle Warranty

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

### Finishes



### Deadbolt Features

- Heavy duty security strike with 3" screws
- 5-pin Cylinder
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- ADA recommended, extra large interior thumbturn
- 1/4" Diameter Through Bolt (671/672 Models)
- Rotating Collar (671/672 Models)
- Heat treated assembly housing screws (671/672 Models)
- Anti-Force Shield (671/672 Models)
- Meets ANSI A 156.2 Grade II Cylindrical lock standards

### Deadbolt Specifications

- Adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" cross holes and 1" edge hole
- Adjusts to door thickness from 1-3/8" to 2"
- Optional door thickness from 2" to 2-1/4"

### Deadbolt Warranty

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

800.575.2658




www.weslock.com

SECURITY. SAFETY & STYLE.


# Traditionale Collection

## ENTRY HANDLES & DEADBOLTS




# Traditionale Collection

## KNOBS & LEVERS




2008




### BALL (B) KNOB

- 600 Passage (Hall & Closet)
- 605 Dummy Knob
- 610 Privacy (Bed & Bath)
- 640 Keylock (Keyed Entry)
- 642 Vestibule Keylock




### JULIENNE (J) KNOB

- 600 Passage (Hall & Closet)
- 605 Dummy Knob
- 610 Privacy (Bed & Bath)
- 640 Keylock (Keyed Entry)




### ELEGANTI™ (E) KNOB

- 600 Passage (Hall & Closet)
- 605 Dummy Knob
- 610 Privacy (Bed & Bath)
- 640 Keylock (Keyed Entry)




### SAVANNAH™ (Z) KNOB

- 600 Passage (Hall & Closet)
- 605 Dummy Knob
- 610 Privacy (Bed & Bath)
- 640 Keylock (Keyed Entry)



### IMPRESA™ (I) KNOB


- 600 Passage (Hall & Closet)
- 605 Dummy Knob
- 606 Dummy Passage Set
- 610 Privacy (Bed & Bath)
- 640 Keylock (Keyed Entry)
- 642 Vestibule Keylock



### BORDEAU™ (U) HANDED LEVERSETS

(specify Right or Left when ordering)


- R/L 600 Passage (Hall & Closet)
- R/L 605 Dummy Knob
- R/L 610 Privacy (Bed & Bath)
- R/L 640 Keylock (Knob x Lever)
- R/L 640 Keylock (Lever x Lever)



### CALAIS™ (K) HANDED LEVERSETS


(specify Right or Left when ordering)

- R/L 600 Passage (Hall & Closet)
- R/L 605 Dummy Knob
- R/L 610 Privacy (Bed & Bath)
- R/L 640 Keylock (Knob x Lever)
- R/L 640 Keylock (Lever x Lever)




### ACCESS™ (A) NON-HANDED LEVERSETS

- 600 Passage (Hall & Closet)
- 605 Dummy Lever
- 610 Privacy (Bed & Bath)
- 640 Keylock (Lever x Lever)



### LEGACY (Y) NON-HANDED LEVERSETS


- 600 Passage (Hall & Closet)
- 605 Dummy Lever
- 610 Privacy (Bed & Bath)
- 640 Not available in Keylock



800.575.2658  
www.weslock.com

# Essentials Collection

## ENTRY HANDLES & DEADBOLTS




### OVAL™

- 351 Single Cylinder Deadbolt
- 352 Double Cylinder Deadbolt
- 350 Dummy Handle & Deadbolt




### DEADBOLTS

- 371 Single Cylinder
- 372 Double Cylinder




# Essentials Collection

## KNOBS & LEVERS




### BARRINGTON™ (D) KNOB

- 401 Passage (Hall & Closet)
- 405 Dummy Knob
- 411 Privacy (Bed & Bath)
- 441 Keylock (Keyed Entry)




### SONIC™ (O) KNOB

- 401 Passage (Hall & Closet)
- 405 Dummy Knob
- 411 Privacy (Bed & Bath)
- 441 Keylock (Keyed Entry)




### LEXINGTON™ (L) NON-HANDED LEVERSETS

- 401 Passage (Hall & Closet)
- 405 Dummy Lever
- 411 Privacy (Bed & Bath)
- 441 Keylock (Knob x Lever)
- 441 Keylock (Lever x Lever)



### PROVENCE (R) NON-HANDED LEVERSETS

- 401 Passage (Hall & Closet)
- 405 Dummy Lever
- 411 Privacy (Bed & Bath)
- 441 Keylock (Knob / Lever)
- 441 Keylock (Lever / Lever)



# Essentials Collection

KNOBS & LEVERS


2008



BARRINGTON™



LEXINGTON™



SONIC™



PROVENCE

### Knob & Lever Features

- Cylindrical Door Locks
- Meets ANSI A 156.2 Grade II lock standards
- 5-pin Cylinder
- Locksets have pre-installed installation screws, which are concealed behind a snap-on rosette
- Removable knobs/levers prevents scratching during installation
- Panic-Proof Keylock/Privacy - one turn of interior knob/lever unlocks & opens door
- Push Button locking in Rosette
- Weslock Keyway standard (Optional Schlage and Kwikset Keyways)
- Zinc diecasted levers
- All brass knobs & rosettes
- ADA compliant levers


### Knob & Lever Specifications

- Adjustable Latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" cross hole & 7/8" or 1" edge hole
- Latch diameter is 7/8"
- For 1" edge hole, non-mortise application requires metal sleeve (part # 70991)
- Adjusts to door thickness from 1-3/8" to 1-3/4"
- Optional door thickness from 1-3/4" to 2-1/4"

### Knob & Lever Warranty

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass Keylock function

### Finishes



Antique Brass (A)  
PVD (B)  
Polished Brass (3)  
  
Satin Chrome (D)  
\*Satin Nickel (N)  
\*\*Oil Rubbed Bronze (1)

\* Special order for Sonic™  
\*\* Special order only for Barrington™ and Provence

# Essentials Collection

ENTRY HANDLES & DEADBOLTS

### Entry Handle Features

- 5-pin Cylinder
- Zinc diecasted
- 1" throw deadbolt with two hardened steel rollers - prevents sawing


### Entry Handle Specifications

- Adjusts to door thickness from 1-3/4" to 2"
- Optional door thickness 2" to 2-1/4"
- Adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" Top and 2-1/8" Bottom cross holes and 1" edge hole
- 5-1/4" minimum center to center cross hole spacing

### Entry Handle Warranty

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

### Finishes



Antique Brass (A)  
PVD (B)  
  
Satin Chrome (D)  
Satin Nickel (N)  
\*Oil Rubbed Bronze (1)  
\* Special order finish.

### Deadbolt Features

- Heavy duty security strike with 3" screws
- 5-pin Cylinder
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Weslock Keyway standard (Optional Schlage Keyway)
- ADA recommended, extra large interior thumbturn

### Deadbolt Specifications

- Adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" cross holes and 1" edge hole
- Adjusts to door thickness from 1-3/8" to 2"
- Optional door thickness from 2" to 2-1/4"

### Deadbolt Warranty

- Limited Lifetime Mechanical Warranty
- Limited 10 Year Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass



OVAL




MODEL 371



MODEL 372

### Finishes



Antique Brass (A)  
PVD (B)  
  
Satin Chrome (D)  
Bright Chrome (6)  
Satin Nickel (N)  
  
Weathered Pewter (P)  
Oil Rubbed Bronze (1)  
Black (2)



# Reliant Collection

TUBULAR LOCKSETS

2008



TULIP



SALEM



HUDSON



NEWPORT



BRISTOL



CENTURY



SOMERSET

### Collection Features

- Tubular design meeting Grade 3 lock standards
- Weslock® keyway (optional Schlage and Kwikset keyways)
- 5-pin cylinder with special keying capabilities
- Turn button locking in knob/lever
- Non-concealed installation screws


### Collection Specifications

- Adjustable backset (2-3/8" to 2-3/4") with fixed radius or square faceplate
- Adjusts to door thickness from 1-3/8" to 2"
- Entry Handle fits doors prepared with 1-5/8" top and 2-1/8" bottom cross hole and 1" edge hole
- Knob/Lever/Deadbolt fits doors prepared with 2-1/8" cross hole and 1" edge hole

### Collection Warranty

- Limited 10 Year Mechanical Warranty
- Limited 3 Year Finish Warranty

### Finishes



MODEL 167



MODEL 171



MODEL 172

1810

\* Only available in Hudson™ knob, Century lever, 171 Deadbolt and 1810 Entry Handle.

800.575.2658




www.weslock.com

# Reliant Collection

## TUBULAR LOCKSETS

2008



### 1810 ENTRY HANDLE



- 1810 Single Cylinder Deadbolt
- 1815 Dummy Handle & Deadbolt

1810  
(2 piece interior)







### TULIP (T), SALEM (S), HUDSON (G) KNOBS

- 100 Passage (Hall & Closet)
- 105 Dummy Knob
- 110 Privacy (Bed & Bath)
- 140 Keylock (Keyed Entry)






### NEWPORT (X), BRISTOL (W), CENTURY (C), SOMERSET (V) NON-HANDED LEVERSETS

- 100 Passage (Hall & Closet)
- 105 Dummy Knob
- 110 Privacy (Bed & Bath)
- 140 Keylock (Keyed Entry)



### DEADBOLTS

- 167 Non Cylinder
- 171 Single Cylinder
- 172 Double Cylinder



800.575.2658  
www.weslock.com

# Interconnected LOCKSETS

# 2008



LEXINGTON™  
(1400 SERIES)



COLONIAL™  
(1400 SERIES)



(Exterior) (Interior)  
UNIGARD™  
(1500 SERIES)



(Exterior) (Interior)  
UNIGARD™  
(1500 SERIES)

## 1400 Series Entry Handle Features

- 5-pin Cylinder
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Available with any interior Traditionale Collection knob or lever style
- Solid Brass
- Smooth interior Nolin plate
- Weslock keyway standard (optional Schlage Keyway)
- Meets 2-point locking code

## 1400 Series Entry Handle Specifications

- Non-adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" Top & 2-1/8" Bottom cross holes & 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2-1/4"
- 2-7/8" center to center cross hole spacing

## 1400 Series Warranty

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

## 1500 Series Unigard™ Features

- 5-pin Cylinder
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Panic-Proof - one turn of the interior knob/lever unlocks & opens the door
- Available with any interior Traditionale Collection knob or lever style
- Smooth interior Nolin plate
- Weslock keyway standard (optional Schlage keyway)

## 1500 Series Unigard™ Specifications


- Non-adjustable latches 2-3/8" or 2-3/4" with removable faceplates
- Fits doors prepared with 2-1/8" Top & 2-1/8" Bottom cross holes & 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2-1/4"
- 2-7/8" center to center cross hole spacing

## 1500 Series Unigard™ Warranty


- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

## Lexington™ Finishes

Antique Brass (A)  
PVD (B)




Satin Nickel (N)  
Oil Rubbed Bronze (I)




## Colonial™ Finishes

Antique Brass (A)




## Unigard™ Finishes

Antique Brass (A)  
PVD (B)



Satin Chrome (D)  
Satin Nickel (N)




800.575.2658

**WESLOCK**  
SECURITY, SAFETY & STYLE

www.weslock.com


# Interconnected LOCKSETS

2008




## LEXINGTON™

- 1444 Interconnected key operation outside w/ inside thumbturn upper & locking panic-proof lower (deadlatch)
- 1445 Dummy Handle



## Colonial™

(1 piece interior)



## COLONIAL™


- 1414 Interconnected key operation outside w/ inside thumbturn upper & locking panic-proof lower (deadlatch)
- 1415 Dummy Handle

## UNIGARD® RECTANGULAR

- 1501 Key operated ext., interconnected int. w/ thumbturn upper & passage, panic-proof lower knob. (Springlatch)
- 1510 With combined faceplate & ASA strikes (square only)


### Unigard® (Rectangular)

(1 piece interior)



### Unigard® (Oval)

(1 piece interior)



## UNIGARD® OVAL

- 1530 Key operated ext., interconnected int. w/ thumbturn upper & passage, panic-proof lower knob. (Springlatch)
- 1550 With combined faceplate & ASA strikes (square only)

**WESLOCK®**  
SECURITY. SAFETY & STYLE.

800.575.2658  
www.weslock.com

## U.L. Rated Collection LOCKSETS



HUDSON



SALEM



TULIP



NEWPORT



CENTURY



BRISTOL



SOMERSET

### Knob & Lever Features

- PVD finish Available (Optional – List plus 5.00 adder)
- Meets Grade 3 lock standards and U.L. 60 minute fire rating
- Solid brass 5-pin cylinder with special keying capability by customer
- No split finish or styles available
- Non-concealed screws
- Wood and metal door screws
- Turn button locking in knob/lever
- Solid brass adjustable latch bolt with heavy duty brass fixed faceplate (square or radius); solid brass strikes (square or radius)
- Weslock keyway standard

### Knob & Lever Specifications

- Fits doors prepared with 2-1/8" cross hole and 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2"

### Knob & Lever Warranty

- Limited 10 Year Mechanical Warranty
- Limited 3 Year Finish Warranty

### Finishes

Antique Brass (A)  
Polished Brass (3)



Satin Chrome (D)  
Satin Nickel (N)  
\*Oil Rubbed Bronze (1)



\* Special order finish only on Hudson™ knob and Century lever.

# 2008

## U.L. Rated Collection ENTRY HANDLES & DEADBOLTS

### Unigard™ and 1844 Features

- Available with most Traditionale Collection knob or lever styles
- Meets Grade II lock standards and U.L. 60 minute fire rating
- Internal metal cups for additional fire protection
- 5-pin Cylinder (Unigard has rotating collar, 1/4" through bolts)
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Combo latch faceplate with: solid brass spring latch bolt with heavy duty brass fixed faceplate & solid brass ASA strikes
- Panic-Proof - one turn of the interior knob/lever unlocks & opens the door
- Smooth Interior Nolin Plate
- Wood & metal door screws
- Weslock Keyway standard

### Unigard and 1844 Specifications

- Fixed face latches radius or square non-adjustable latches 2-3/8" or 2-3/4"
- Fits doors prepared with 2-1/8" Top and 2-1/8" Bottom cross holes and 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2-1/4"
- 2-7/8" center to center cross hole spacing
- 2-3/8" center to center - edge bore holes

### Unigard and 1844 Warranty

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass

### Deadbolt Features

- Meets Grade 2 lock standards and U.L. 60 minute fire rating
- 1" throw deadbolt with two hardened steel rollers - prevents sawing
- Internal metal cups for additional fire protection
- Solid Brass ADA recommended, extra large interior thumbturn
- Wood and metal door screws
- Weslock Keyway standard
- 5-pin deadbolt cylinder with rotating collar; 1/4" through bolts

### Deadbolt Specifications

- Non-Adjustable Latch – Must Specify 2-3/8" or 2-3/4"
- Solid Brass Latch Faceplate – 2-1/4" x 1-1/8" or 2-1/4" x 1"
- Fits doors prepared with 2-1/8" cross hole and 1" edge hole
- Adjusts to door thickness from 1-3/4" to 2"
- Solid Brass Strikes (No-Lip – 2-3/4" x 1-1/8")

### Deadbolt Warranty

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty
- Lifetime PVD Finish on exterior Polished Brass



(Exterior) (Interior)  
8510 UNIGARD™



(Exterior) (Interior)  
8530 UNIGARD™



871 DEADBOLT




867 DEADBOLT



(Interior)  
(Exterior)  
1844

### Finishes

Antique Brass (A)  
Polished Brass (3)




Satin Chrome (D)  
Satin Nickel (N)  
Oil Rubbed Bronze (1)




# U.L. Rated Collection

## ENTRY HANDLES & DEADBOLTS



# U.L. Rated Collection

## LOCKSETS




2008


### 8510 U.L. DOOR HANDLE (Rectangular)

8510 Key operated ext., Interconnected w/thumbturn upper & passage, panic proof lower knob (Springlatch) with combo faceplate and ASA strikes.

### 8510 U.L. Door Handle (1 piece interior)



### 8530 U.L. Door Handle (1 piece interior)




### 8530 U.L. DOOR HANDLE (Oval)

8530 Key operated ext., Interconnected w/thumbturn upper & passage, panic proof lower knob (Springlatch) with combo faceplate and ASA strikes.

### 1844 U.L. DOOR HANDLE

1844 Interconnected key operation outside w/ inside thumbturn upper & locking panic-proof lower (deadlatch)


### 1844 U.L. Door Handle (1 piece interior)



### U.L. DEADBOLTS

871 Single Cylinder


### U.L. Single Cylinder



### U.L. NON-CYLINDER DEADBOLTS

867 Non-Cylinder  
868 Non-Cylinder w/Outside Plate


### U.L. Non-Cylinder



### HUDSON (G) KNOB

800 Passage (Hall & Closet)  
810 Privacy (Bed & Bath)  
840 Keylock (Keyed Entry)


### Hudson



### SALEM (S) KNOB

800 Passage (Hall & Closet)  
810 Privacy (Bed & Bath)  
840 Keylock (Keyed Entry)


### Salem



### TULIP (T) KNOB

800 Passage (Hall & Closet)  
810 Privacy (Bed & Bath)  
840 Keylock (Keyed Entry)


### Tulip



### NEWPORT (X) NON-HANDED LEVERSETS

800 Passage (Hall & Closet)  
810 Privacy (Bed & Bath)  
840 Keylock (Keyed Entry)


### Newport



### CENTURY (C) NON-HANDED LEVERSETS

800 Passage (Hall & Closet)  
810 Privacy (Bed & Bath)  
840 Keylock (Keyed Entry)


### Century



### SOMERSET (V) NON-HANDED LEVERSETS

800 Passage (Hall & Closet)  
810 Privacy (Bed & Bath)  
840 Keylock (Keyed Entry)

### Somerset



### BRISTOL (W) NON-HANDED LEVERSETS

800 Passage (Hall & Closet)  
810 Privacy (Bed & Bath)  
840 Keylock (Keyed Entry)

### Bristol

