Features ITap T6.16

- Modern Wall-Mounted Bathroom Faucet with 1-Handle
- Single handle lever controls water flow and temperature
- Polished Chrome Finish
- Made of Lead-Free Solid Brass
- Requires 2-Hole Installation
- Flow Rate: 1.5 GPMSpout Reach: 7.5"




## **Finishes**




Polished Chrome

C	0	1	1	е	С	t	i	0	n
Ita	qı								



## Product Specs Sheets / Parts Diagram

Note: Item Fully Assembled



	TECHNICA	AL DATA				
Nο	REFERENCE	DESCRIPTION				
01	AR6.18 - M18	AERATOR				
02	CR6.25P	PROGRESSIVE CARTRIDGE				
03	ES6.60MP - 60X45MM	WALL MOUNTED HANDLE PLATE				
04	MA6.30 - 30MM	HANDLE				
05	ES6.60BP - 60X45MM	WALL MOUNTED SPOUT PLATE				
06	_	MIXER BODY				
07	_	SPOUTSET				
80		INCREASE ELEMENT				
09		AERATOR KEY				
10	_	UMBRAK SCREW				
11		UMBRAK KEY				

## INSTALLATION RECOMENDATIONS

Before installing a tap, it is good to rinse the supply pipes to remove all residues. We also recommend installing the taps with a filter. The installation of the tap must be done with the surface clean and dry. to perform the water pressure test, the taps must be open.

## CLEANING AND MAINTENANCE

Cleaning must be done with liquid soap and water. Do not use liquid detergents containing abrasive or acidic substances, abrasive sponges or disinfectants. Incorrect cleaning may permanently ruin the surface of taps.

On color finishings, do not use products containing alcohol, acetone and other solvents.

Collection Itap Model | ITap T6.16 Dimensions Metric

1 inch = 2.54 cm 1 inch = 25.4 mm



1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215

www.wsbathcollections.com - info@wsbathcollectins.com