ITap T6.16.3F Features

• Modern Wall-Mounted Bathroom Faucet with 2-Handles

- Adjustable Handles Allow for Custom Layout
- Polished Chrome Finish
- Made of Lead-Free Solid Brass
- Requires 3-Hole Installation
- Flow Rate: 1.5 GPM • Spout Reach: 7.5"



Finishes



Polished Chrome

Collection Itap


Model | ITap T6.16.3F Dimensions Metric

1 inch = 2.54 cm1 inch = 25.4 mm




1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215

www.wsbathcollections.com - info@wsbathcollectins.com



Product Specs Sheets / Parts Diagram

Note: Item Fully Assembled



	TECHNIC	CAL DATA
No	REFERENCE	DESCRIPTION
01	AR6.18 - M18	AERATOR
02	CA6.12F	HEADWORK 1/2* COLD
03	ES6.60MP - 60X45MM	WALL MOUNTED HANDLE PLATE
04	MA6.30 - 30MM	HANDLE
05	ES6.60BP - 60X45MM	WALL MOUNTED SPOUT PLATE
06	_	MIXER BODY
07	_	SPOUT SET
80	_	INCREASE ELEMENT
09	CA6.12Q	HEADWORK 1/2* HOT
10		UMBRAK SCREW
11		UMBRAK KEY

INSTALLATION RECOMENDATIONS

Before installing a tap, it is good to rinse the supply pipes to remove all residues. We also recommend installing the taps with a filter. The installation of the tap must be done with the surface clean and dry, to perform the water pressure test, the taps must be open.

CLEANING AND MAINTENANCE

Cleaning must be done with liquid soap and water. Do not use liquid detergents containing abrasive or acidic substances, abrasive sponges or disinfectants. Incorrect cleaning may permanently ruin the surface of taps.

On color finishings, do not use products containing alcohol, acetone and other solvents.

Collection Itap **Model** | ITap T6.16.3F

Dimensions Metric

1 inch = 2.54 cm 1 inch = 25.4 mm



1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215

www.wsbathcollections.com - info@wsbathcollectins.com