


AquaVantage®AV N	/lodel
------------------	--------

TAG

Concealed Z6144AV Model For Water Closets



F	low Options	
	-WS1	1.6 Gal. Low Consumption
	-FF	4.5 Gal. Full Flush
	Standard Flush	3.5 Gallons Per Flush

Suffix Options (Check/Specify Appropriate Options)

 -BG	BioCare Handle
-L	1" [25] Metal Push Button
-L3	3" [76] Metal Push Button
	Other

ENGINEERING SPECIFICATION: ZURN Z6144AV AquaVantage® 'AV' Concealed Closet Flush Valve - Concealed, quiet diaphragm-type, rough brass flushometer valve with Zurn's AquaVantage® TPE, chloramine resistant, dual seal diaphragm with a clog resistant, triple filtered by-pass. The valve is complete with a non-hold open and no leak handle feature, high back pressure vacuum breaker, one piece hex coupling nut, adjustable tailpiece and spud coupling for back spud connection. Control stop has internal siphon-guard protection, and a sweat solder kit. Internal seals are made of chloramine resistant materials.

This space is for Architectural/engineering Approval

Date: 4/28/03

Product No. Z6144AV

ZURN INDUSTRIES, INC. ◆ COMMERCIAL BRASS OPERATION ◆ 5900 ELWIN BUCHANAN DRIVE ◆ SANFORD NC 27330
Phone: 1-800-997-3876 ◆ Fax: 919-775-3541 ◆ World Wide Web: www.zurn.com
In Canada: ZURN INDUSTRIES LIMITED ◆ 3544 Nashua Drive ◆ Mississauga, Ontario L4V1L2 ◆ Phone: 905-405-8272 Fax: 905-405-1292