



# Z831B4-XL

## Widespread Gooseneck Faucet

TAG \_\_\_\_\_

### Architectural/Engineering Specification:

Polished chrome-plated widespread with adjustable centers from 6" to 20", a 5-3/8" rigid or swing spout and quarter turn ceramic disc cartridges. Unit is furnished with a standard 2.2 GPM aerator, vandal-resistant color-coded handles, mounting hardware and 1/2" NPSM coupling nuts for standard lavatory risers. Widespread accommodates installations up to 1-1/8" thick.

Zurn Lead Free products (-XL) is the line of durable, high quality brass faucets and fixtures that are designed and manufactured to comply with Section 1417 of the Safe Drinking Water Act (SDWA) which mandates the weighted average lead content of no more than 0.25% of the wetted surface.

### Product Features:

- Ceramic Disc Cartridge
- Chrome-plated Cast Brass Body
- Widespread Handles Adjustable From 6" to 20" Centers
- 4" Vandal Resistant Color Coded Wrist Blade Handles

### Suffix Options:

- FC 2.0 GPM [7.6 L] Laminar Flow Control in Base of Spout
- G 1-1/4" [32mm] Grid Strainer Drain
- HS Hose and Spray
- ICT Inter-connecting Copper Supply Tubes for 8" In-line Centers
- P 1-1/4" [32mm] Pop-up Drain
- TW Third Waterway



### Aerator Options:

	Flow rate GPM [LpM]	Vandal Resistant	Pressure Compression	*WaterSense Labeled	Outlet Type
<b>-2F</b>	2.2[8.3]	✓	✓		Aerator
<b>-3F</b>	0.5[1.9]	✓	✓		Spray
<b>-4F</b>	2.2[8.3]	✓	✓		Laminar
<b>-5F</b>	2.0[7.6]	✓	✓		Aerator
<b>-7F</b>	1.0[3.8]		✓	✓	Spray
<b>-16F</b>	1.0[3.8]	✓	✓		Spray
<b>-17F</b>	1.5[5.7]	✓	✓	✓	Aerator
<b>-18F</b>	1.5[5.7]	✓	✓	✓	Laminar
<b>-22F</b>	1.0[3.8]	✓			Laminar
<b>-25F</b>	0.35[1.3]	✓	✓		Spray
<b>-28F</b>	0.5[1.9]	✓			Laminar

### Compliance and Certification:

- Low-Lead Compliant
- ADA Compliant



XL LEAD FREE

ADA DESIGNED

WaterSense  
EPA Certified  
LAPRO R&T

ZURN INDUSTRIES, LLC 511 W. Freshwater Way, Milwaukee, WI U.S.A. 53204 · Ph. 1-855-ONE-ZURN, Fax 919-775-3541

In Canada: ZURN INDUSTRIES LIMITED 7900 Goreway Drive, Unit 10, Brampton, Ontario L6T 5W6, Ph. 905-405-8272, Fax 905-405-1292

Rev. A

Date: 10/18/19

C.N. No. SAN008590

Prod. | Dwg. No. SS Z831B4-XL

### Architectural/Engineering Approval

The information contained in this document is subject to change without notice.  
Please contact Zurn for most up to date information.

\*This device is WaterSense labeled when used with the appropriate flow rate and certified for residential and private restrooms.



US 1.855.ONE.ZURN CANADA 1.905.405.8272 ZURN.COM

## Rough-in dimensions/Overview dimensions

