Marvel Professional 36" Counter Depth French Door Refrigerator



Model # AMPROFDR23



Stainless Steel

Customized Temperature Controls

Adjust the refrigerator and freezer temperatures independently.

- Storage Drawer with 12 Temperature Settings Choose from 9 preset selections (like Ready to Serve, Cheese, White/Sparkling Wine, Beer, Fish/Shellfish) plus three customizable settings to ensure your food remains at the ideal temperature for serving and maintaining freshness.
- Fully Cantilevered, Adjustable Glass Shelves All-glass shelves can be arranged in a variety of flexible configurations to fit wide and tall items.
- Tri-level Organization System

Stay well organized with our tri-level freezer organization system. Three large-capacity baskets feature removable dividers and smooth-glide roll out. And, baskets at the top are removable, allowing you to configure the space as needed to neatly fit large or small items.



Storage Drawer Wine Rack



Storage Drawer Temperature Control

• Filtration Systems

Our pure filtration system circulates clean, filtered air throughout the interior to prevent odor transfer. Plus, fresh ice is easy-to-access.

Theatre-Style Interior Lighting

Soft, transitional LED lighting gradually illuminates the interior with ample light as you open the door. Perfect for night time trips to the refrigerator!

- Humidity-Controlled Crisper Drawers Smooth-glide crisper drawers feature adjustable humidity control and minimal temperature variation to preserve even the most delicate fruits and vegetables longer.
- Integrated Alarm System

To protect the temperature integrity of your refrigerator contents, you'll be notified of any power failures, if a door is ajar over five minutes, and if the interior cabinet temperature rises above 56 degrees for more than 20 minutes.


ORDERING DETAILS	MODEL #
Stainless Steel	AMLFDR23-SS

Marvel Professional 36" Counter Depth French Door Refrigerator






Height 70"



Depth

recifical opecifications	
Overall Dimensions	35 ⁵ / ₈ " W x 70" H x 26 ⁷ / ₈ "D
Total Capacity	22.1 cu. ft.
1. Refrigerator Capacity	15.2 cu. ft.
2. Freezer Capacity	6.9 cu. ft.
Plumbing Requirements	¼" copper tubing
Ice Maker	One located in freezer
Electronic Temperature Controls	Two
Humidity Controlled Crispers	Two
Temperature Controlled Deli Drawer	One
Gallon Door Storage Shelves	Two
Adjustable Glass Shelves	Four
Freezer Drawer	Removable
Electrical Requirements	115v, 60hz on separate 15amp circuit
Warranty	1 Year Limited Warranty on all parts and labor



2


Marvel Professional 36" Counter Depth French Door Refrigerator



Installation

Model # AMPROFDR23

3/8" front leg



Location Requirements

- · Choose a place that is near a grounded, non-GFCI, electrical outlet. Do Not use an extension cord or an adapter plug.
- If possible, place the refrigerator out of direct sunlightand away from the range, dishwasher, or other heat sources.
- The refrigerator must be installed on a floor that is level and strong enough to support a fully loaded refrigerator.
- Consider water supply available

Caution

DO NOT install the refrigerator where the temperature will drop below 55°F (13°C) or rise above 110°F (43°C). The compressor will not be able to maintain proper temperatures inside the refrigerator. DO NOT block the toe grille on the lower front of your refrigerator. Sufficient air circulation is essential for the proper operation of your refrigerator.

Electrical Requirements

The refrigerator must be plugged into its own dedicated 115 Volt, 60 Hz, AC-only non-GFCI electric outlet. The power cord of the appliance is equipped with a three-prong grounding plug for your protection against electrical shock hazards. It must be plugged directly

into a properly grounded three-prong receptacle. The receptacle must be installed in accordance with local codes and ordinances. Consult a gualified electrician. Do not use an extension cord or adapter plug.