


SEABURY
Shower Arm 6 1/4" NPT
MODEL # 27011

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



Product Description:
Shower Arm 6 1/4" NPT

Standard Specification:

- GROHE StarLight® finish
- Escutcheon
- 1/2" Connection thread

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- ☐ 27011 000 chrome
- ☐ 27011 BE0 Sterling inf
- ☐ 27011 EN0 Brushed Nickel
- ☐ 27011 ZB0 Oil Rubbed Bronze


RAINSHOWER® RUSTIC 130 Shower Set

MODEL # 27140

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



Product Description: Shower Set

Standard Specification:

- GROHE StarLight® finish
- SpeedClean anti-lime system
- 24" shower bar (28 666)
- Rustic hand shower 5 1/8" (27 129)
- 69" shower hose (28 025)
- Soap dish
- Twistfree to prevent hose from twisting
- Max Flow Rate 2.5 gpm at 80 psi (9.5 L/min)

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:



- ☐ 27140 000 chrome
- ☐ 27140 BE0 Sterling inf
- ☐ 27140 EN0 Brushed Nickel
- ☐ 27140 ZB0 Oil Rubbed Bronze

GROHFLEX™
Universal Rough-In Box
MODEL # 35026

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



Product Description:
Universal Rough-In Box

Standard Specification:

- Inlets and outlets 1/2"
- Fixing points for front and back wall
- Leakproof housing
- Integrated service stops
- Flushing plug
- Removable protection cover with installation information
- For use with the GrohFlex Bathroom Solution Kits (sold separately):
 - Pressure Balance Valves and Thermostats
 - Single Function, Dual Function or Custom Shower

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

□ 35026 000

RAINSHOWER® RUSTIC 160


Head shower 4 sprays

MODEL # 27130

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



Product Description:

Head shower 4 sprays

Standard Specification:


- Diameter Ø 6 5/16"
- GROHE StarLight® finish
- SpeedClean anti-lime system
- GROHE EcoJoy® 2.4 g flow limiter
- Suitable for instantaneous heater
- Recommended for use with Rainshower shower arms.
- 4 spray patterns: Rain / Jet / Pure / Champagne spray
- 15° swivel ball joint (± 15°)
- Min. recommended pressure 7 psi
- Max Flow Rate 2.5 gpm at 80 psi (9.5 L/min)

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- ☐ 27130 000 chrome
- ☐ 27130 BE0 Sterling inf
- ☐ 27130 EN0 Brushed Nickel
- ☐ 27130 ZB0 Oil Rubbed Bronze



GROHOTHERM 2000 AUTHENTIC


Dual function thermostatic trim with control module

MODEL # 19825

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



ADA

Product Description:

Dual function thermostatic trim with control module

Standard Specification:


- GROHE TurboStat® technology
- GROHE StarLight® finish
- GROHE SilkMove®
- For shower/tubs with non-diverter tub spout or for 2 shower outlet applications
- Integrated volume control
- 2-way diverter function
- For use with GrohFlex™ universal rough-In box 35 026 000 sold separately
- 6.3 gpm at 45 psi (bottom outlet)
- 3.2 gpm at 45 psi (top outlet)
- ABS trim plate

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:

- ☐ 19825 ZB0 Oil Rubbed Bronze
- ☐ 19825 EN0 Brushed Nickel
- ☐ 19825 BE0 Sterling inf
- ☐ 19825 000 chrome




SEABURY
Bath spout with diverter 6"
MODEL # 13603

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



Product Description:
Bath spout with diverter 6"

Standard Specification:

- GROHE StarLight® finish
- Wall mount
- $\frac{3}{4}"$ connection thread
- Projection 6 $\frac{1}{8}"$
- For color matching caps to replace the standard white caps (see item 45 953)

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- ☐ 13603 000 chrome
- ☐ 13603 AV0 Satin Nickel inf
- ☐ 13603 BE0 Sterling inf
- ☐ 13603 EN0 Brushed Nickel
- ☐ 13603 ZB0 Oil Rubbed Bronze

MOVARIO


Shower outlet elbow, 1/2"

MODEL # 28459

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



Product Description:

Shower outlet elbow, 1/2"

Standard Specification:

- GROHE StarLight® finish
- 1/2" NPT Female Threads

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- ☐ 28459 000 chrome
- ☐ 28459 BE0 Sterling inf
- ☐ 28459 EN0 Brushed Nickel
- ☐ 28459 ZB0 Oil Rubbed Bronze
- ☐ 28459 R00 Polished Brass inf

