



Brushed Satin Nickel Kona Bay | Model . . . **K52BN**  
 with 54" Tropic Isle Oak Bamboo | Blade . . . **B554T-BBO**  
 Blades and Fitter/Glass | Light . . . **F300CFL-BN/108 Glass**

# Kona Bay


## FEATURES

- Heavy-Duty, 3 Speed Reversible Motor
- 2" and 6" Downrods (Included)
- Limited Lifetime Warranty
- Blades Sold Separately
- Light Kit Adaptable (Optional)
- Both TCS Controls Available (Optional)
- Suitable for Damp Locations
- 54 RPM on Low Speed for Custom Blade Viewing

## SPECS

- Blade Sweep Option. . . . .44", 52", 54", 56", 58"
- Number of Blades . . . . .5
- Blade Pitch . . . . .16°
- Motor Size (MM) . . . . .188 x 20
- AMPS (HI Speed) . . . . .<1
- Watts (HI Speed) . . . . .71
- Shipping Wt. (lbs.) . . . . .24.0
- CU. FT. in Carton . . . . .1.7
- Airflow\*  
(Cubic Feet Per Minute) . . . . .5,843
- Airflow Efficiency\*  
(CFM Per Watt) . . . . .81

## CEILING DROP DIMENSIONS



- A: 2" DR - 11.0"
- A: 6" DR - 15.0"
- C: 8.5"
- E: 7.0"
- B: 2" DR - 10.0"
- B: 6" DR - 14.0"
- D: 5.25"
- DR = Downrod

"Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed."

"Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed."

